

SURVEILLANCE WEEK 19 (May 4, 2008– May 10, 2008)

This issue of the Ontario Influenza Bulletin provides information on the surveillance period from May 4, 2008-May 10, 2008, (Week 19). The analysis for this issue occurred on Thursday May 15, 2008, therefore all data is current to that date unless otherwise specified.

Overall, influenza activity in Ontario during week 19, 2008 was lower than week 18, 2008. There were 15 confirmed cases of influenza A and 20 confirmed cases of influenza B reported through iPHIS from health units. There were no new reports of institutional influenza outbreaks. For week 19, the majority of health regions level of influenza activity was 'localized', with the exception of North East and North West, which reported 'sporadic' influenza activity and 'no activity' respectively.

In Canada for week 18, influenza activity continued to decline. The majority of the provinces and all of the territories reported only either sporadic activity or no activity in their regions. Nine regions reported localized activity (from MB, NB, NS & ON) and only 2 regions (from ON & QC) reported widespread influenza activity[†]

Publication of the Ontario Influenza Bulletin

Please note this is the last weekly edition of the Bulletin for the 2007/08 season; after this issue the Bulletin will be published on alternate weeks. Influenza activity level maps will be available during "non-Bulletin" weeks at: http://www.health.gov.on.ca/english/providers/program/pubhealth/flu/flu_07/flubul_mn.html

For a definition of influenza-like illness (ILI) activity levels and links to websites providing current influenza information from other sources, please refer to the attached Appendix- I. If you would like to provide feedback on the Bulletin, please contact Christine D'Souza (christine.dsouza1@ontario.ca, 416-212-5323) or Anne-Luise Winter (anne-luise.winter@ontario.ca, 416-327-7301).

Table 1: Summary of confirmed influenza cases and institutional influenza outbreaks by health region (Week 19, 2008).

Confirmed influenza cases*	HEALTH REGION							TOTAL
	North West	North East	Eastern	Central East	Toronto	South West	Central West	
Influenza A	0	0	3	6	2	2	2	15
Influenza B	0	3	5	4	8	0	0	20
Influenza A & B	0	0	0	0	0	0	0	0
Total new cases	0	3	8	10	10	2	2	35
Institutional influenza outbreaks‡	0	0	0	0	0	0	0	0

SOURCE: Ontario Ministry of Health and Long-Term Care, integrated Public Health Information System (iPHIS) database, extracted [15/05/2008].

* Includes reports of confirmed influenza through iPHIS, as well as cases in institutional outbreaks, with dates of onset in the surveillance period.

† These data have been obtained from the FluWatch report of the Public Health Agency of Canada for Week 18, 2008.

‡ Confirmed outbreaks in institutions with onset date of symptoms during the surveillance period.

Table 2: Confirmed cases of influenza by health unit & health region, with an episode date[†] during Week 19, 2008

Region	Health Unit	Confirmed Influenza		
		Influenza A	Influenza B	TOTAL
North West	Northwestern	0	0	0
	Thunder Bay District	0	0	0
	TOTAL NORTH WEST	0	0	0
North East	Algoma	0	3	3
	North Bay Parry Sound District	0	0	0
	Porcupine	0	0	0
	Sudbury & District	0	0	0
	Timiskaming	0	0	0
	TOTAL NORTH EAST	0	3	3
Eastern	City of Ottawa	3	5	8
	Eastern Ontario	0	0	0
	Hastings & Prince Edward Counties	0	0	0
	Kingston, Frontenac, Lennox & Addington	0	0	0
	Leeds, Grenville And Lanark District	0	0	0
	Renfrew County And District	0	0	0
	TOTAL EASTERN	3	5	8
Central East	Durham Region	0	0	0
	Haliburton, Kawartha, Pine Ridge	0	1	1
	Peel Region	5	1	6
	Peterborough County-City	0	0	0
	Simcoe Muskoka District	0	2	2
	York Region	1	0	1
	TOTAL CENTRAL EAST	6	4	10
Toronto	Toronto	2	8	10
	TOTAL TORONTO	2	8	10
South West	Chatham-Kent	0	0	0
	Elgin-St. Thomas	0	0	0
	Grey Bruce	1	0	1
	Huron County	0	0	0
	Lambton County	0	0	0
	Middlesex-London	0	0	0
	Oxford County	1	0	1
	Perth District	0	0	0
	Windsor-Essex County	0	0	0
	TOTAL SOUTHWEST	2	0	2
Central West	Brant County	0	0	0
	City Of Hamilton	0	0	0
	Haldimand-Norfolk	0	0	0
	Halton Region	0	0	0
	Niagara Region	0	0	0
	Waterloo Region	2	0	2
	Wellington-Dufferin-Guelph	0	0	0
	TOTAL CENTRAL WEST	2	0	2
	TOTAL ONTARIO	15	20	35

SOURCE: Ontario Ministry of Health and Long-Term Care, integrated Public Health Information System (iPHIS) database, extracted [15/05/2008].

[†] Episode Date for a case corresponds to the earliest date on record for the case according to the iPHIS hierarchy (Symptom Date > Clinical Diagnosis Date > Specimen Collection Date > Lab Test Date > Reported Date)

Table 3: Cumulative* confirmed cases of influenza by health unit & health region with an episode date[†] between September 1, 2007 – May 10, 2008

Region	Health Unit	Confirmed Influenza		
		Influenza A	Influenza B	TOTAL
North West	Northwestern	30	0	30
	Thunder Bay District	19	4	23
	TOTAL NORTH WEST	49	4	53
North East	Algoma	27	18	45
	North Bay Parry Sound District	52	31	83
	Porcupine	10	1	11
	Sudbury & District	16	16	32
	Timiskaming	13	12	25
	TOTAL NORTH EAST	118	78	196
Eastern	City Of Ottawa	90	151	241
	Eastern Ontario	20	29	49
	Hastings & Prince Edward Counties	22	25	47
	Kingston, Frontenac, Lennox & Addington	29	32	61
	Leeds, Grenville And Lanark District	10	23	33
	Renfrew County And District	9	16	25
	TOTAL EASTERN	180	276	456
Central East	Durham Region	76	53	129
	Haliburton, Kawartha, Pine Ridge	63	71	134
	Peel Region	348	175	523
	Peterborough County-City	66	60	126
	Simcoe Muskoka District	166	92	258
	York Region	120	97	217
	TOTAL CENTRAL EAST	839	548	1,387
Toronto	Toronto	825	595	1,420
	TOTAL TORONTO	825	595	1,420
South West	Chatham-Kent	11	12	23
	Elgin-St. Thomas	3	2	5
	Grey Bruce	49	19	68
	Huron County	67	20	87
	Lambton County	24	8	32
	Middlesex-London	53	10	63
	Oxford County	25	5	30
	Perth District	24	29	53
	Windsor-Essex County	34	46	80
	TOTAL SOUTHWEST	290	151	441
Central West	Brant County	7	11	18
	City Of Hamilton	217	104	321
	Haldimand-Norfolk	20	6	26
	Halton Region	109	65	174
	Niagara Region	85	25	110
	Waterloo Region	146	76	222
	Wellington-Dufferin-Guelph	75	48	123
	TOTAL CENTRAL WEST	659	335	994
	TOTAL ONTARIO	2,960	1,987	4,947

SOURCE: Ontario Ministry of Health and Long-Term Care, integrated Public Health Information System (iPHIS) database, extracted [15/05/2008].

* Cumulative case counts include late reports and records that are otherwise reconciled. Therefore, cumulative counts may not equal new cases plus previous cumulative value.

[†] Episode Date for a case corresponds to the earliest date on record for the case according to the iPHIS hierarchy (Symptom Date > Clinical Diagnosis Date > Specimen Collection Date > Lab Test Date > Reported Date)

‡ Note that one of the cases of influenza reported from Simcoe Muskoka District represents a case co-infected with Influenza A & B

Influenza Subtype(s):

During week 18, 2575 isolates were received by the Public Health Agency of Canada, with 95 testing positive for influenza A and 124 for influenza B. Among the reported influenza A isolates, 46 were from Ontario (48.4%) and 19 were from Quebec (20.0%), and among the reported influenza B isolates, 60 were from Ontario (48.4%) and 38 were from Quebec (30.6%).*

Antigenic Characterization:

The National Microbiology Laboratory (NML) has characterized 1,236 influenza viruses for the 2007-2008 influenza season: 455 (37%) A(H1N1), 201 (16%) A(H3N2) and 580 (47%) B viruses. Of the 455 influenza A(H1N1) viruses characterized, 433 (95%) were antigenically similar to A/Solomon Islands/3/2006 and 22 (5%) were antigenically similar to A/Brisbane/59/2007. Of the 201 influenza A(H3N2) viruses characterized, 9 (4%) were antigenically similar to A/Wisconsin/67/2005 and 192 (96%) were antigenically similar to A/Brisbane/10/2007. One of the 9 A/Wisconsin-like viruses had reduced titer to A/Wisconsin/67/2005 reference antiserum. Of the 580 influenza B isolates characterized, 14 (2%) were antigenically similar to B/Malaysia/2506/2004 and 566 (98%) were antigenically similar to B/Florida/4/2006 (belonging to the B/Yamagata lineage) .**

Antiviral Resistance:

Since the start of the season, the NML has tested 915 influenza A isolates (537 H1N1 and 378 H3N2) for amantadine resistance and found that 376 (99%) of the 378 H3N2 isolates were resistant to amantadine and 6 (1%) of 537 H1N1 isolates were resistant.


The NML has also tested 1,257 influenza isolates (476 A/H1N1, 207 A/H3N2 & 574 B) for oseltamivir (Tamiflu) resistance and found that 123 (26%) of the 476 H1N1 isolates tested were resistant to oseltamivir. The resistant isolates were from NL, NS, NB, QC, ON, MB, SK, AB and BC. Of the 123 resistant viruses, 119 were A/Solomon Islands/3/06-like and 4 were A/Brisbane/59/07-like. These oseltamivir resistant strains remain sensitive to the antiviral amantadine**

The WHO recommends that the influenza vaccine to be used in the 2008-2009 season for the northern hemisphere contain the following: an A/Brisbane/59/2007 (H1N1)-like virus; an A/Brisbane/10/2007 (H3N2)-like virus; and a B/Florida/4/2006-like virus. http://www.who.int/csr/disease/influenza/recommendations2008_9north/en/index.html

* These data have been obtained from the Respiratory Virus Detection tables of Public Health Agency of Canada and do not include data from late reports to PHAC: Week 19, 2008

** These data have been obtained from the FluWatch report of the Public Health Agency of Canada for Week 18, 2008.

Figure 1: Total number of influenza tests performed and percent of positive tests in Ontario reported to the Centre for Immunization and Respiratory Infectious Diseases (CIRID), by report week*.



Source: Public Health Agency of Canada

* Total numbers reported include late reports; therefore totals may not be equal to the sum of the weekly numbers.

Note: Cumulative numbers for season to date are available through FluWatch: <http://www.phac-aspc.gc.ca/fluwatch/>

Table 4a: Institutional respiratory infection outbreaks in Ontario: New Outbreaks* in Week 19 and Total Outbreaks for the Season**

Institutional Respiratory Infection Outbreaks		
New Outbreaks*	N	% (of outbreaks)
Influenza A	0	0.0
Influenza B	0	0.0
Influenza A and B	0	0.0
Parainfluenza (All types)	0	0.0
RSV	0	0.0
Other organisms	0	0.0
No organism identified	8	0.0
TOTAL	8	100
Total Respiratory Infection Outbreaks of the Season to date**	N	% (of outbreaks)
Influenza A	143	19.2
Influenza B	139	18.7
Influenza A and B	15	2.0
Parainfluenza (All types)	30	4.0
RSV	47	6.3
Combined Outbreaks [†]	0	0.0
Other organisms	22	3.0
No organism identified	348	46.8
TOTAL	744	100
Types of Institutions (All Outbreaks) **	N	% (of outbreaks)
Long-Term Care Homes	424	57.0
Hospitals	35	4.7
Retirement Homes	72	9.7
Other	9	1.2
Unknown	204	27.4
TOTAL	744	100

SOURCE: Ontario Ministry of Health and Long-Term Care, integrated Public Health Information System (iPHIS) database, extracted [17/05/2008]

* New outbreaks are those in which the date of onset of illness in the first case occurred and recorded through iPHIS in the current surveillance period; i.e. May 4, 2008 – May 10, 2008

** Season to date includes all outbreaks in which the date of onset of illness in the first case occurred from September 1, 2007 – May 10, 2008

[†] Combined outbreaks include outbreaks in which more than one non-influenza organism has been identified (e.g. RSV, parainfluenza, rhinovirus, etc.)

Table 4b: Outbreak Related Complications in institutional respiratory infection outbreaks in Ontario during the Surveillance Season*

Outbreak Related Complications (All Outbreaks)	N	% (of total cases)
Total Cases		
Residents	9135	72.3
Patients	482	3.8
Staff	2976	23.6
Total Cases	12635	100
Deaths		% (of cases per role)
Residents	254	2.8
Patients	14	2.9
Staff	0	0.0
Pneumonia (Chest x-ray confirmed)		% (of cases per role)
Residents	375	4.1
Patients	18	3.7
Staff	12	0.4
Hospitalizations		% (of cases per role)
Residents	461	5.0
Staff	9	0.3
Outbreak Related Complications (Influenza Outbreaks)	N	% (of total cases)
Total Cases		
Residents	3626	71.5
Patients	145	2.9
Staff	1284	25.3
Total Cases	5075	100
Deaths		% (of cases per role)
Residents	147	4.1
Patients	4	2.8
Staff	0	0.0
Pneumonia (Chest x-ray confirmed)		% (of cases per role)
Residents	191	5.3
Patients	8	5.5
Staff	9	0.7
Hospitalizations		% (of cases per role)
Residents	271	7.5
Staff	8	0.6

SOURCE: Ontario Ministry of Health and Long-Term Care, integrated Public Health Information System (iPHIS) database, extracted [15/05/2008]

* Season to date includes all outbreaks in which the date of onset of illness in the first case occurred from September 1, 2007 – May 10, 2008

Figure 2: Institutional respiratory infection outbreaks in Ontario by onset of illness in the first case: Total Outbreaks from September 1, 2007 – May 10, 2008 by causative organism






Figure 3: Influenza Activity* levels in Ontario by health unit for Week 19, 2008



SOURCE: MOHLTC [Provincial Influenza Activity Report (Appendix C) Database]

* Influenza activity levels are assigned by local public health units and reported to the MOHLTC by the Tuesday following the end of the surveillance week at 4 pm. Activity levels are assigned based on laboratory confirmations, ILI reports from various sources, and laboratory confirmed institutional outbreaks. [Please refer to detailed definitions for the 2007-2008 season included in the Appendix-1]

Figure 4: Average influenza-like illness (ILI) consultation rate (per 1,000 patient visits) reported by sentinel physicians* in Ontario in 2007- 2008 season, by report week, Compared to Ontario average[†] (1999/2000 to 2004/05 seasons).



Source: Public Health Agency of Canada

* Sentinel physician information is reported to Public Health Agency of Canada.

[†]No data available for mean rate in previous years for weeks 21 to 39 (1999-2000 through 2004-2005 seasons). During weeks 20-39, 2002-2003/2004-2005 seasons, ILI is reported once every two weeks, on even weeks only.

Table 6: Average Influenza-like illness consultation rate (per 1,000 patient visits) by age group and postal code as reported by Sentinel Physicians* in Ontario, for Week 19.

Postal Code	0 – 4	5 – 19	20 – 64	65 +	Unknown
K0C1A0	0	0	0	0	0
K2P1V3	0	0	0	0	0
K1J9M2	0	0	0	0	0
K7H2W6	0	0	0	0	0
K0K2T0	0	0	1	0	0
L1A3W4	0	0	0	0	0
K0M1A0	0	0	0	0	0
L1S2H6	0	0	0	0	0
L1B1H8	0	0	0	0	0
L4J7Y3	0	0	0	0	0
M4X1W4	0	0	0	0	0
M6G4A1	0	0	0	0	0
M4E1V8	0	0	0	0	0
M8Y1V3	0	0	0	0	0
M4M3P3	0	0	0	0	0
M2K1E1	0	0	0	0	0
M9W6N5	0	0	0	0	0
M8V2Z5	0	0	0	0	0
L5J2W4	0	0	0	0	0
L4Y2N8	0	0	0	0	0
L6W2A4	1	2	3	0	0
L6V4H6	0	0	0	0	0
L9W1G2	0	0	0	0	0
L6L2X4	0	0	1	0	0
L6J1X8	0	0	0	0	0
L7R1M6	0	0	0	0	0
L9H1V1	0	0	0	0	0
L0R1H0	0	0	0	0	0
L8W3J6	0	0	0	0	0
L2E7H1	0	0	0	0	0
N3R7K8	0	0	0	0	0
N2G1P2	0	0	0	0	0
N2M3B5	0	0	0	0	0
N5H1K9	0	0	0	0	0
N0R1G0	0	0	0	0	0
N0C1E0	0	0	0	0	0
L3V5W5	0	0	0	0	0
L4R4P4	0	0	0	0	0
P0H2H0	0	0	0	1	0
P0A1C0	0	0	0	0	0
P0P1S0	0	0	0	0	0
P0S1K0	0	0	0	0	0
P0M1Z0	0	0	0	0	0
P7E1H5	0	0	0	0	0
P8N2Z6	0	0	0	0	0
ILI Sum	1	2	5	1	0
ILI Consultation Rate (per 1,000 patient visits)	15.15	23.53	8.43	3.23	0.00

Source: Public Health Agency of Canada

* Sentinel physician information is reported to the Public Health Agency of Canada

Note: The small numbers of sentinel physicians reporting at the local level make the ILI rates unstable. Please interpret these data correspondingly.

FURTHER INFORMATION

1. Ontario Ministry of Health and Long-Term Care
Previous issues of the *Ontario Influenza Bulletin* can be accessed at:
http://www.health.gov.on.ca/english/providers/program/pubhealth/flu/flu_07/flubul_mn.html
2. Health Agency of Canada
Issues of FluWatch can be accessed at:
www.phac-aspc.gc.ca/fluwatch/
3. United States Centers for Disease Control and Prevention
<http://www.cdc.gov/flu/weekly/fluactivity.htm>
4. European Influenza Surveillance Scheme
http://www.eiss.org/cgi-files/bulletin_v2.cgi

INFORMATION ABOUT AVIAN INFLUENZA

For latest information on the status of avian influenza worldwide please use the following link:

Public Health Agency of Canada

<http://www.phac-aspc.gc.ca/h5n1/index.html>

APPENDIX - I

Definitions for influenza activity levels:

No Data: No activity report corresponding to the surveillance week was received at the Ministry of Health and Long-Term Care Call Centre by the Tuesday (at 4 p.m.) following the end of the surveillance period.

No Activity: **No laboratory confirmed* influenza and NO outbreaks detected** within the health unit/ influenza surveillance area, within the prior week, although sporadically occurring ILI may or may not be present.†

Sporadic: Sporadically (infrequently) occurring **ILI and at least one lab-confirmed influenza* case with NO outbreaks** detected within the health unit area.†

Localized: sporadically occurring **ILI and lab-confirmed influenza* together with outbreaks of ILI** in schools and work sites, or laboratory-confirmed influenza in residential institutions occurring in < 50% of the health unit . Outbreaks affect a single and/or adjacent geographic area within the health unit jurisdiction, e.g. outbreaks in a nursing home and a school in close proximity to each other.†

Widespread: sporadically occurring **ILI and lab-confirmed influenza* together with outbreaks of ILI** in schools and work sites, or laboratory-confirmed influenza in residential institutions occurring in > 50% of the health unit. Outbreaks affect multiple and non-adjacent geographic areas within the health unit jurisdiction, such as two or more regions of the health unit, two or more municipalities, two or more electoral wards, etc.†

* Confirmation of influenza within the surveillance region at any time within the prior week

† Sub-regions within the province or territory as defined by the provincial/territorial epidemiologist

Influenza-Like Illness (ILI) Definitions:

A) ILI in the general population:

Acute onset of respiratory illness with fever and cough and with one or more of the following - sore throat, arthralgia, myalgia, or prostration which could be due to influenza virus. In children under 5, gastrointestinal symptoms may also be present. In patients under 5 or 65 and older, fever may not be prominent.

B) ILI/Influenza outbreaks:

Schools and work sites: greater than 10% absenteeism on any day, most likely due to ILI.

Residential institutions: two or more cases of ILI within a seven-day period, **including at least one laboratory confirmed case.**

Influenza Surveillance Weeks 2008 and date of submission of Appendix C

WEEKS	START	END	Appendix C Submission to MOHLTC
WK20	11-May-08	17-May-08	20-May-08
WK21	18-May-08	24-May-08	27-May-08
WK22	25-May-08	31-May-08	3-Jun-08
WK23	1-Jun-08	7-Jun-08	10-Jun-08
WK24	8-Jun-08	14-Jun-08	17-Jun-08
WK25	15-Jun-08	21-Jun-08	24-Jun-08
WK26	22-Jun-08	28-Jun-08	1-Jul-08
WK27	29-Jun-08	5-Jul-08	8-Jul-08
WK28	6-Jul-08	12-Jul-08	15-Jul-08
WK29	13-Jul-08	19-Jul-08	22-Jul-08
WK30	20-Jul-08	26-Jul-08	29-Jul-08
WK31	27-Jul-08	2-Aug-08	5-Aug-08
WK32	3-Aug-08	9-Aug-08	12-Aug-08
WK33	10-Aug-08	16-Aug-08	19-Aug-08
WK34	17-Aug-08	23-Aug-08	26-Aug-08
WK35	24-Aug-08	30-Aug-08	2-Sep-08