



Ontario Influenza Bulletin | 2011-2012

SURVEILLANCE WEEK 46 (November 13, 2011 – November 19, 2011)

This issue of the Ontario Influenza Bulletin provides information on the surveillance period from November 13, 2011 to November 19, 2011 (week 46). **All data are for week 46** and data extraction and analysis for this issue of the Bulletin occurred on November 23, 2011 unless otherwise specified. In order to enable our readers to better assess influenza activity in Ontario, we have combined various sources of information in the following table.

Assessment of Influenza and Other Respiratory Virus Activity in Ontario

Measure of Activity	Assessment of measure compared to previous week (Lower, Similar, Higher)	Reasoning behind assessment
Laboratory Confirmed Influenza Cases	Similar	One new (1) influenza case was reported* in week 46, which is similar to week 45 (1). The percent positivity of laboratory tests for influenza in Ontario was 0.1% for week 46, similar to week 45 (0.1%) (Figure 3).
Respiratory virus activity	Enterovirus activity is slightly lower	Among circulating respiratory viruses, enterovirus had the highest percent positivity at 6.44% (Table 2).
Institutional Respiratory Infection Outbreaks	No Change	No new institutional influenza outbreaks were reported, however there were two new institutional respiratory infection outbreaks reported for week 46, including one parainfluenza outbreak.
Influenza Activity Levels Reported by Health Units	Lower	Health units either reported no activity or did not report for week 46 which is lower than week 45.
ILI Consultation Rate reported by Sentinels	Lower	The provincial ILI consultation rate decreased from 23.79/1,000 patient visits in week 45 to 18.58/1,000 patient visits in week 46. This rate is higher than the average rate for week 45 from previous years.
OVERALL ASSESSMENT FOR VIRUS ACTIVITY	Influenza activity in Ontario was <i>similar</i> compared to the previous week.	Overall, the indicators show that influenza activity was <i>similar</i> during week 46 compared to week 45.
Measure of Severity for Influenza		
Hospitalizations Among Lab Confirmed Cases of Influenza	No Change	There was one hospitalized case reported* from November 13 to November 19, which is the same as the number (1) reported from November 6 to November 12.
Deaths Among Lab Confirmed Cases of Influenza	No Change	No deaths were reported* from November 13 to November 19, which is the same as the number reported from November 6 to November 12.

*This is the number of cases by **reported** date from iPHIS and needs to be interpreted with caution as there is a lag between the onset of illness, hospital admission or death and when this information is reported to public health.


Summary of current and season to date influenza activity

- There has been little to no influenza activity for the 2011-2012 season to date
 - Three cases of influenza A/H3 have been reported as of November 19, 2011 (end of week 46). The cases have been from three different health units: Ottawa, Toronto, and Thunder Bay (Table 1). One influenza B case was reported in Toronto as of Nov 19, 2011.
 - Two additional cases of influenza A have been identified in Middlesex-London and Toronto and will be reflected in next week's bulletin.
 - Compared to the 2010-2011 season, there were fewer cases reported and fewer influenza A outbreaks from September 1 to November 19 in the current 2011-2012 season.
- The majority of ILI activity in Ontario since the beginning of September to November 19, 2011 can be attributed to entero/rhinovirus.
 - The majority of outbreaks (~63.2%) had entero/rhinovirus identified as the causative organism (Table 3).
 - Enterovirus has had the highest percent positivity among laboratory tests of respiratory samples for the current week and season to date (Table 2). However, enterovirus activity in week 46 (6.44% positivity) declined somewhat as compared to week 45 (8.25% positivity).

Information on surveillance weeks for the 2011/12 season, ILI definitions, and links to surveillance reports from other jurisdictions can now be found at:

<http://www.oahpp.ca/resources/flubulletin.html>

Figure 1: Confirmed cases of influenza A in Ontario by episode date, reported from Sep. 1, 2006 to Nov. 19, 2011[†]



SOURCE: Ontario Ministry of Health and Long-Term Care, integrated Public Health Information System (iPHIS) database, extracted by Public Health Ontario [2011/11/23].


[†] Episode Date for a case corresponds to the earliest date on record for the case according to the iPHIS hierarchy (Symptom Date > Clinical Diagnosis Date > Specimen Collection Date > Lab Test Date > Reported Date)

Note: Cases after week 14 in the 2008-09 season were excluded because seasonal influenza cases from this period may have been detected due to heightened surveillance for all influenza-like illness, therefore this period is not comparable to a regular influenza season. Additionally, all cases from the 2009-10 influenza season were excluded from this graph due to its incomparability to a regular influenza season as a result of the influenza A(H1N1)pdm09 pandemic.

Note: Week 53 of the 2008-09 season has been removed for continuity in displaying trends.

Note: Interpret tail of 2011-2012 line with caution due to reporting lags.

Figure 2: Confirmed cases of influenza B in Ontario by episode date reported from Sep. 1, 2007 to Nov. 19, 2011[†]



SOURCE: Ontario Ministry of Health and Long-Term Care, integrated Public Health Information System (iPHIS) database, extracted by Public Health Ontario [2011/11/23].

[†] Episode Date for a case corresponds to the earliest date on record for the case according to the iPHIS hierarchy (Symptom Date > Clinical Diagnosis Date > Specimen Collection Date > Lab Test Date > Reported Date)

Note: Interpret tail of 2011-2012 line with caution due to reporting lags.

Ontario Influenza Bulletin, 2011-2012 (September 1, 2011 – November 19, 2011)

Table 1: Confirmed cases with a reported date during week 46 and cumulative cases (in brackets) of influenza by health unit and health region since September 1, 2011


Region	Health Unit	Influenza A				Influenza A & B	Influenza B	TOTAL
		(H1N1) pdm09	No Subtype/Not Subtyped	Other*	H3			
North West	Northwestern	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Thunder Bay District	0 (0)	0 (0)	0 (0)	0 (1)	0 (0)	0 (0)	0 (1)
	TOTAL NORTH WEST	0 (0)	0 (0)	0 (0)	0 (1)	0 (0)	0 (0)	0 (1)
North East	Algoma	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	North Bay Parry Sound District	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Porcupine	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Sudbury & District	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Timiskaming	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	TOTAL NORTH EAST	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Eastern	City of Ottawa	0 (0)	0 (0)	0 (0)	0 (1)	0 (0)	0 (0)	0 (1)
	Eastern Ontario	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Hastings & Prince Edward Counties	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Kingston, Frontenac, Lennox & Addington	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Leeds, Grenville And Lanark District	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Renfrew County And District	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	TOTAL EASTERN	0 (0)	0 (0)	0 (0)	0 (1)	0 (0)	0 (0)	0 (1)
Central East	Durham Region	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Haliburton, Kawartha, Pine Ridge	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Peel Region	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Peterborough County-City	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Simcoe Muskoka District	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	York Region	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	TOTAL CENTRAL EAST	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Toronto	Toronto	0 (0)	0 (0)	0 (0)	0 (1)	0 (0)	1 (1)	1 (2)
	TOTAL TORONTO	0 (0)	0 (0)	0 (0)	0 (1)	0 (0)	1 (1)	1 (2)
South West	Chatham-Kent	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Elgin-St. Thomas	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Grey Bruce	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Huron County	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Lambton County	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Middlesex-London	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Oxford County	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Perth District	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Windsor-Essex County	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	TOTAL SOUTHWEST	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Central West	Brant County	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	City Of Hamilton	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Haldimand-Norfolk	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Halton Region	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Niagara Region	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Waterloo Region	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Wellington-Dufferin-Guelph	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	TOTAL CENTRAL WEST	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	TOTAL ONTARIO	0 (0)	0 (0)	0 (0)	0 (3)	0 (0)	1 (1)	1 (4)

SOURCE: Ontario Ministry of Health and Long-Term Care, integrated Public Health Information System (iPHIS) database, extracted by Public Health Ontario [2011/11/23].

*includes indeterminate, untypeable and other subtypes

Ontario Influenza Bulletin, 2011-2012 (September 1, 2011 – November 19, 2011)

Figure 3: Total number of influenza tests performed and percent of positive tests in Ontario, by report week*



Source: Public Health Agency of Canada. These data have been obtained from the Respiratory Virus Detection tables of the Public Health Agency of Canada from 16 labs in Ontario and do not include data from late reports to PHAC for the current season: Week 46, 2011. Please note that the last version received from PHAC as of 1:50PM on November 24, 2011 was used.

* Total numbers reported include late reports from previous seasons; therefore totals may not be equal to the sum of the weekly numbers.

Note: Cumulative numbers for season to date are available through FluWatch: <http://www.phac-aspc.gc.ca/fluwatch/>

Ontario Influenza Bulletin, 2011-2012 (September 1, 2011 – November 19, 2011)

Table 2. Number of respiratory specimens tested by all methods for influenza and other respiratory viruses and percent positivity, week 46

Detected viruses	Number and percent positive specimens		Total number of specimens tested	
	Current n (%)	Cumulative n (%)	Current n	Cumulative n
Influenza A (all)	0 (0)	3 (0.05)	704	5561
Influenza B	1 (0.14)	1 (0.02)	704	5561
Parainfluenza virus	24 (4.3)	281 (5.94)	558	4728
Adenovirus	14 (2.51)	55 (1.16)	558	4728
Respiratory Syncytial Virus	17 (3.01)	59 (1.23)	564	4790
Enterovirus	28 (6.44)	485 (13.2)	435	3675
Human metapneumovirus	0 (0)	4 (0.15)	254	2596
Coronavirus	0 (0)	8 (0.52)	74	1543

Source: CIRID, Public Health Agency of Canada. These data have been obtained from the Respiratory Virus Detection tables of Public Health Agency of Canada from 16 labs in Ontario and do not include data from late reports to PHAC for the current season: Week 46, 2011. Please note that the last version received from PHAC as of 1:50PM on November 23, 2011 was used.

* Total numbers reported include late reports from previous seasons; therefore totals may not be equal to the sum of the weekly numbers.

Note: Cumulative numbers for season to date are available through FluWatch: <http://www.phac-aspc.gc.ca/fluwatch/>

Ontario Influenza Bulletin, 2011-2012 (September 1, 2011 – November 19, 2011)

Table 3: Institutional respiratory infection outbreaks in Ontario: new outbreaks* in week 46 and total outbreaks for the season**

Institutional Respiratory Infection Outbreaks		
New Outbreaks*	N	% (of outbreaks)
Influenza A (All subtypes)	0	0.0
Influenza B	0	0.0
Influenza A and B	0	0.0
Parainfluenza (All types)	1	50.0
RSV	0	0.0
Combined Outbreaks [†]	0	0.0
Other organisms ^α	0	0.0
Entero/rhinovirus	0	0.0
No organism identified	1	50.0
TOTAL	2	100.0
Total Respiratory Infection Outbreaks of the Season to date**	N	% (of outbreaks)
Influenza A (All subtypes)	0	0.0
Influenza B	0	0.0
Influenza A and B	0	0.0
Parainfluenza (All types)	4	3.5
RSV	1	0.9
Combined Outbreaks [†]	3	2.6
Other organisms ^α	0	0.0
Entero/rhinovirus	72	63.2
No organism identified	34	29.8
TOTAL	114	100.0
Types of Institutions – All Outbreaks **	N	% (of outbreaks)
Long-Term Care Homes	74	64.9
Hospitals	7	6.1
Retirement Homes	12	10.5
Other	0	0.0
Not Reported	21	18.4
TOTAL	114	100.0

SOURCE: Ontario Ministry of Health and Long-Term Care, integrated Public Health Information System (iPHIS) database, extracted by Public Health Ontario [2011/11/23]

* New outbreaks are those in which the date of onset of illness in the first case occurred and was recorded through iPHIS in the current surveillance period; i.e. November 13, 2011 – November 19, 2011


** Season to date includes all outbreaks in which the date of onset of illness in the first case occurred up to Week 46.

[†] Combined outbreaks include outbreaks in which more than one non-influenza organism has been identified (e.g. RSV, parainfluenza, rhinovirus, etc.)

^α Other organisms include outbreaks involving other aetiological agents, such as human metapneumovirus, adenovirus and coronavirus.

Ontario Influenza Bulletin, 2011-2012 (September 1, 2011 – November 19, 2011)


Figure 4: Institutional respiratory infection outbreaks in Ontario by onset of illness in the first case: Total outbreaks up to and including week 46 of the 2011-2012 season by causative organism



SOURCE: Ontario Ministry of Health and Long-Term Care, integrated Public Health Information System (iPHIS) database, extracted by Public Health Ontario [2011/11/23]

Ontario Influenza Bulletin, 2011-2012 (September 1, 2011 – November 19, 2011)

Figure 5: Influenza activity* levels in Ontario by health unit for week 46, 2011




Source: MOHLTC [Provincial Influenza Activity Report (Appendix C) Database]

* Influenza activity levels are assigned by local public health units and reported to the MOHLTC by the Tuesday following the end of the surveillance week at 4 pm. Activity levels are assigned based on laboratory confirmations, ILI reports from various sources, and laboratory confirmed institutional respiratory infection outbreaks. Please refer to detailed definitions for the 2011-2012 season included in the Appendix-1]

Ontario Influenza Bulletin, 2011-2012 (September 1, 2011 – November 19, 2011)

Figure 6: Average influenza-like illness (ILI) consultation rate (per 1,000 patient visits) reported by sentinels* in Ontario up to week 46 of the 2011-2012 surveillance season, by report week, compared to Ontario average[†] (1999/2000 to 2007/08 seasons).




Source: Public Health Agency of Canada

* Sentinel information is reported to Public Health Agency of Canada, 84 sentinels reported in Week 46. The large increase in week 52 of last season may be due to a combination of factors including: a true increase in influenza activity, reduced office hours, fewer routine visits, and significantly fewer sentinels reporting compared to normal (only 49 sentinels reported in the last week of December, 2010, compared to at least 80 physicians normally reporting during any given week in the influenza season).

[†] No data were available for mean rate calculations for previous years for weeks 21 to 39 (1999-2000 through 2004-2005 seasons). During weeks 20-39, 2002-2003/2004-2005 seasons, ILI was reported once every two weeks, on even weeks only.

Ontario Influenza Bulletin, 2011-2012 (September 1, 2011 – November 19, 2011)

Figure 7: Average influenza-like illness consultation rate (per 1,000 patient visits) by health unit as reported by sentinels * in Ontario, for week 46



Source: Public Health Agency of Canada

* Sentinels report ILI and patient data to the Public Health Agency of Canada; 84 sentinels reported in week 46, of which 79 were matched to a health unit and represented in the above map.

Note: The small numbers of sentinels reporting at the local level can make the ILI rates unstable. Please interpret these data accordingly.

Table 4: Average influenza-like illness consultation rate (per 1,000 patient visits) by age group as reported by sentinels * in Ontario, for Week 46.

Age Category	0 – 4	5 – 19	20 – 64	65 +	Unknown	TOTAL
Number of ILI Consultations	13	5	27	6	0	51
ILI Consultation Rate (per 1,000 patient visits)	73.03	15.34	16.44	10.02	0.00	18.58

Source: Public Health Agency of Canada

* Sentinel information is reported to the Public Health Agency of Canada; 84 sentinels reported in week 46.

APPENDIX - I

Table 1: NML strain characterization, influenza isolates in Ontario and Canada, September 1, 2011 to November 24, 2011.

	Ontario	Canada
Influenza A (H3N2) A/Perth/16/2009-like	1	7
Influenza A(H1N1)pdm09 A/California/07/09-like	0	0
Influenza B B/Brisbane/60/2008-like	0	3
Influenza B B/Wisconsin/01/2010-like	0	2

Source: Influenza and Respiratory Viruses Section, National Microbiology Laboratory (NML)

Table 2: Amantadine, Oseltamivir and Zanamivir susceptibility assays completed on Canadian influenza isolates by NML, September 1, 2011 to November 24, 2011.

	Amantadine				Oseltamivir				Zanamivir			
	Ontario		Canada		Ontario		Canada		Ontario		Canada	
Influenza strains	R	S	R	S	R	S	R	S	R	S	R	S
Influenza A (H3N2)	4	0	7	0	0	1	0	7	0	1	0	7
Influenza A(H1N1)pdm09	0	0	0	0	0	0	0	0	0	0	0	0
Influenza B	NA	NA	NA	NA	0	0	0	5	0	0	0	5

(R-Resistant, S- Susceptible, NA-Not applicable)

Source: Influenza and Respiratory Viruses Section, National Microbiology Laboratory (NML)