



Ontario Influenza Bulletin | 2011-2012

SURVEILLANCE WEEK 8 (February 19, 2012 – February 25, 2012)

This issue of the Ontario Influenza Bulletin provides information on the surveillance period from February 19, 2012 to February 25, 2012 (week 8). **All data are for week 8** and data extraction and analysis for this issue of the Bulletin occurred on February 29, 2012 unless otherwise specified. In order to enable our readers to better assess influenza activity in Ontario, we have combined various sources of information in the following table.

Assessment of Influenza and Other Respiratory Virus Activity in Ontario


Measure of Activity	Assessment of measure compared to previous week (Lower, Similar, Higher)	Reasoning behind assessment
Laboratory Confirmed Influenza Cases	Higher	One hundred and seventy (170) new influenza cases were reported* in week 8, which is higher than the number reported in week 7 (144). The percent positivity of laboratory tests for influenza in Ontario was 12.75% (4.71% for influenza A and 8.04% for influenza B) for week 8, which is higher than week 7 (7.40%) (Figure 3).
Respiratory virus activity	RSV activity is higher	Among circulating respiratory viruses, respiratory syncytial virus (RSV) had the highest percent positivity in week 8 at 22.79% (Table 3), which is higher than week 7 (16.08%).
Institutional Respiratory Infection Outbreaks	Similar	Four (4) new institutional respiratory outbreaks were reported for week 8, including one influenza A outbreak and two influenza B outbreaks. Twenty-one (21) institutional influenza outbreaks have been reported to date this season.
Influenza Activity Levels Reported by Health Units	Similar	Central East, Central West, Eastern, North East and Toronto regions reported 'localized' level influenza activity, while the South West region reported 'sporadic' level influenza activity. The North West region reported no activity for week 8.
Influenza-Like Illness (ILI) Consultation Rate reported by Sentinels	Similar	The provincial ILI consultation rate decreased from 40.63/1,000 patient visits in week 7 to 39.35/1,000 patient visits in week 8. This rate is higher than the average rate for week 8 from previous years.
OVERALL ASSESSMENT FOR VIRUS ACTIVITY	Influenza activity in Ontario was <i>slightly higher</i> compared to the previous week.	Overall, the indicators show that influenza activity was <i>slightly higher</i> during week 8 compared to week 7.
Measure of Severity for Influenza		
Hospitalizations Among Lab Confirmed Cases of Influenza	Higher	There were 42 hospitalizations reported among cases from February 19 to February 25, which is higher than the number (34) reported from February 12 to February 18*.
Deaths Among Lab Confirmed Cases of Influenza	Higher	Two (2) deaths were reported from February 19 to February 25, which is higher than the number (0) reported from February 11 to February 18*.

*This is the number of cases by **reported** date from iPHIS and needs to be interpreted with caution as there is a lag between the onset of illness, hospital admission or death and when this information is reported to public health.

Summary of current and season to date influenza activity

- Year-to-date influenza activity for the 2011-2012 season has been lower than the same period in previous years:
 - A total of 678 influenza cases have been reported for the 2011-2012 surveillance season to date, of which 170 were reported during week 8.
 - The majority of influenza cases reported for the 2011-2012 season to date were subtyped as influenza A(H1N1)pdm09 (115 cases) or influenza B (394 cases), which together account for 75.1% (509/678) of cases this season.
 - The majority of influenza cases this season have been children under 5 years old (204 cases) and adults 65 years of age and older (133 cases), which together account for 49.7% (337/678) of cases reported to date. The highest number of cases (140) has occurred in the 1 to 4 year old age group, which represents 20.7% of cases.
 - Among influenza cases that have been hospitalized, 36.2% (67/185) were children under 5 years old and 24.9% (46/185) were in adults over the age of 65 (Table 2).
 - Compared to the same period in the 2010-2011 season, fewer influenza cases and outbreaks have been reported this season from September 1, 2011 to February 25, 2012.
- The cause(s) of ILI in Ontario from September 1, 2011 to February 25, 2012 has changed as the season progressed:
 - Since week 5, influenza B has been the dominant circulating influenza virus. Of the 180 influenza B isolates that have been characterized at the National Microbiology Laboratory, 101 (56.1%) are a different strain (B/Wisconsin/01/2010-like) and lineage and is not contained in this season's trivalent influenza vaccine. The World Health Organization has recommended the inclusion of this strain in the vaccine for the 2012-2013 influenza season for the Northern Hemisphere.
 - Since week 1, 20 institutional influenza outbreaks have been reported: six influenza A, 13 influenza B, and one combined A and B outbreak.
 - RSV had the highest percent positivity among laboratory tests of respiratory samples during week 8 at 22.79% (Table 3). RSV also has had the highest percent positivity among isolates submitted for testing for the season to date at 13.50%.
 - Coronavirus has had a percent positivity above 5% each week since week 52. For week 8, coronavirus had a percent positivity of 14.46%.

Figure 1: Confirmed cases of influenza A in Ontario by episode date reported from Sep. 1, 2006 to Feb. 25, 2012[†]



Source: Ontario Ministry of Health and Long-Term Care, integrated Public Health Information System (iPHIS) database, extracted by Public Health Ontario [2012/03/01].


[†] Episode Date for a case corresponds to the earliest date on record for the case according to the iPHIS hierarchy (Symptom Date > Clinical Diagnosis Date > Specimen Collection Date > Lab Test Date > Reported Date)

Note: Cases after week 14 in the 2008-09 season were excluded because seasonal influenza cases from this period may have been detected due to heightened surveillance for all influenza-like illness, therefore this period is not comparable to a regular influenza season. Additionally, all cases from the 2009-10 influenza season were excluded from this graph due to its incomparability to a regular influenza season as a result of the influenza A(H1N1)pdm09 pandemic.

Note: week 53 of the 2008-09 season has been removed for continuity in displaying trends.

Note: Interpret tail of 2011-2012 line with caution due to reporting lags.

Figure 2: Confirmed cases of influenza B in Ontario by episode date reported from Sep. 1, 2007 to Feb. 25, 2012[†]



Source: Ontario Ministry of Health and Long-Term Care, integrated Public Health Information System (iPHIS) database, extracted by Public Health Ontario [2012/03/01].

[†] Episode Date for a case corresponds to the earliest date on record for the case according to the iPHIS hierarchy (Symptom Date > Clinical Diagnosis Date > Specimen Collection Date > Lab Test Date > Reported Date)

Note: Interpret tail of 2011-2012 line with caution due to reporting lags.

Ontario Influenza Bulletin, 2011-2012 (September 1, 2011 – February 25, 2012)

Table 1: Confirmed cases with a reported date during week 8 and cumulative cases (in brackets) of influenza by health unit and health region since September 1, 2011

Region	Health Unit	Influenza A				Influenza A & B	Influenza B	TOTAL
		(H1N1) pdm09	No Subtype/Not Subtyped	Other*	H3			
North West	Northwestern	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Thunder Bay District	0 (0)	0 (0)	0 (0)	0 (1)	0 (0)	0 (0)	0 (1)
	TOTAL NORTH WEST	0 (0)	0 (0)	0 (0)	0 (1)	0 (0)	0 (0)	0 (1)
North East	Algoma	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	North Bay Parry Sound District	0 (1)	2 (3)	0 (0)	0 (1)	0 (0)	3 (5)	5 (10)
	Porcupine	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Sudbury & District	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	2 (5)	2 (5)
	Timiskaming	0 (1)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (1)
	TOTAL NORTH EAST	0 (2)	2 (3)	0 (0)	0 (1)	0 (0)	5 (10)	7 (16)
Eastern	City of Ottawa	0 (0)	1 (6)	0 (0)	0 (1)	0 (0)	2 (9)	3 (16)
	Eastern Ontario	1 (1)	0 (0)	0 (0)	0 (1)	0 (0)	1 (1)	2 (3)
	Hastings & Prince Edward Counties	0 (1)	0 (0)	0 (0)	1 (3)	0 (0)	0 (2)	1 (6)
	Kingston, Frontenac, Lennox & Addington	0 (1)	1 (2)	0 (0)	0 (0)	0 (0)	1 (2)	2 (5)
	Leeds, Grenville And Lanark District	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Renfrew County And District	1 (3)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	1 (3)
	TOTAL EASTERN	2 (6)	2 (8)	0 (0)	1 (5)	0 (0)	4 (14)	9 (33)
Central East	Durham Region	0 (5)	1 (1)	0 (0)	4 (5)	0 (0)	0 (8)	5 (19)
	Haliburton, Kawartha, Pine Ridge	0 (0)	0 (3)	0 (0)	1 (1)	0 (0)	0 (4)	1 (8)
	Peel Region	1 (24)	9 (22)	0 (3)	2 (8)	0 (0)	14 (85)	26 (142)
	Peterborough County-City	0 (0)	0 (1)	0 (0)	0 (0)	0 (0)	0 (0)	0 (1)
	Simcoe Muskoka District	0 (2)	1 (3)	0 (0)	0 (2)	0 (0)	13 (28)	14 (35)
	York Region	0 (3)	1 (4)	0 (0)	0 (3)	0 (0)	1 (4)	2 (14)
	TOTAL CENTRAL EAST	1 (34)	12 (34)	0 (3)	7 (19)	0 (0)	28 (129)	48 (219)
Toronto	Toronto	12 (63)	5 (26)	0 (0)	6 (14)	1 (2)	30 (113)	54 (218)
	TOTAL TORONTO	12 (63)	5 (26)	0 (0)	6 (14)	1 (2)	30 (113)	54 (218)
South West	Chatham-Kent	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Elgin-St. Thomas	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Grey Bruce	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (1)	0 (1)
	Huron County	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	1 (2)	1 (2)
	Lambton County	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
	Middlesex-London	0 (0)	0 (3)	0 (0)	0 (6)	0 (0)	2 (5)	2 (14)
	Oxford County	0 (0)	0 (1)	0 (0)	0 (0)	0 (0)	0 (4)	0 (5)
	Perth District	0 (0)	0 (1)	0 (0)	0 (0)	0 (0)	1 (3)	1 (4)
	TOTAL SOUTH WEST	0 (0)	0 (5)	0 (0)	0 (7)	0 (0)	4 (15)	4 (27)
Central West	Brant County	0 (0)	0 (2)	0 (0)	0 (0)	0 (0)	0 (4)	0 (6)
	City Of Hamilton	2 (3)	4 (17)	0 (0)	0 (1)	0 (0)	13 (39)	19 (60)
	Haldimand-Norfolk	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (1)	0 (1)
	Halton Region	2 (5)	0 (2)	0 (0)	0 (2)	0 (0)	13 (39)	15 (48)
	Niagara Region	1 (1)	0 (1)	0 (0)	0 (1)	0 (0)	4 (9)	5 (12)
	Waterloo Region	0 (2)	1 (4)	0 (0)	0 (0)	0 (0)	5 (18)	6 (24)
	Wellington-Dufferin-Guelph	0 (0)	1 (2)	0 (0)	0 (8)	0 (0)	2 (3)	3 (13)
	TOTAL CENTRAL WEST	5 (11)	6 (28)	0 (0)	0 (12)	0 (0)	37 (113)	48 (164)
	TOTAL ONTARIO	20 (116)	27 (104)	0 (3)	14 (59)	1 (2)	108 (394)	170 (678)

Source: Ontario Ministry of Health and Long-Term Care, integrated Public Health Information System (iPHIS) database, extracted by Public Health Ontario [2012/03/02].

*Includes indeterminate, untypeable and other subtypes

Ontario Influenza Bulletin, 2011-2012 (September 1, 2011 – February 25, 2012)


Table 2. Number of hospitalizations and deaths among influenza cases during week 8 and cumulative (in brackets) for the season by age group since September 1, 2011

Age Group	Number of Hospitalizations	Cumulative Rate per 100,000	Number of Deaths	Cumulative Rate per 100,000
<1	3 (21)	14.83	0 (0)	0.00
1-4	12 (46)	8.07	0 (1)	0.18
5-14	10 (26)	1.74	0 (0)	0.00
15-24	0 (3)	0.17	0 (0)	0.00
25-44	3 (19)	0.52	0 (0)	0.00
45-64	4 (24)	0.65	0 (0)	0.00
65+	10 (46)	2.51	2 (6)	0.33
Total	42 (185)	1.40	2 (7)	0.05

Source: Ontario Ministry of Health and Long-Term Care (MOHLTC), integrated Public Health Information System (iPHIS) database, extracted by Public Health Ontario [2012/02/29]. Population data obtained from IntelliHEALTH Ontario, retrieved by Public Health Ontario [2012/01/13].

Ontario Influenza Bulletin, 2011-2012 (September 1, 2011 – February 25, 2012)

Figure 3: Total number of influenza tests performed and percent of positive tests in Ontario, by report week*



Source: Public Health Agency of Canada. These data have been obtained from the Respiratory Virus Detection tables of the Public Health Agency of Canada from 16 labs in Ontario and do not include data from late reports to PHAC for the current season: week 8, 2012. Please note that the last version received from PHAC as of 11:00AM on March 1, 2012 was used.

* Total numbers reported include late reports from previous seasons; therefore totals may not be equal to the sum of the weekly numbers.

Note: Cumulative numbers for season to date are available through FluWatch: <http://www.phac-aspc.gc.ca/fluwatch/>

Ontario Influenza Bulletin, 2011-2012 (September 1, 2011 – February 25, 2012)

Table 3. Number of respiratory specimens tested by all methods for influenza and other respiratory viruses and percent positivity, week 8

Detected viruses	Number and percent positive specimens		Total number of specimens tested	
	Current n (%)	Cumulative n (%)	Current n	Cumulative n
Influenza A (all)	58 (4.71)	265 (1.25)	1231	21233
Influenza B	99 (8.04)	366 (1.72)	1231	21233
Parainfluenza virus	13 (1.27)	628 (3.51)	1024	17896
Adenovirus	19 (1.86)	315 (1.76)	1024	17896
Respiratory syncytial virus	237 (22.79)	2459 (13.5)	1040	18212
Enterovirus	14 (1.57)	828 (5.36)	891	15454
Human metapneumovirus	21 (5.16)	131 (1.55)	407	8434
Coronavirus	24 (14.46)	281 (4.68)	166	5998

Source: CIRID, Public Health Agency of Canada. These data have been obtained from the Respiratory Virus Detection tables of Public Health Agency of Canada from 16 labs in Ontario and do not include data from late reports to PHAC for the current season: week 8, 2012. Please note that the last version received from PHAC as of 11:00AM on March 1, 2012 was used.

Note: Total numbers reported include late reports from previous seasons; therefore totals may not be equal to the sum of the weekly numbers.

Note: Cumulative numbers for season to date are available through FluWatch: <http://www.phac-aspc.gc.ca/fluwatch/>

Ontario Influenza Bulletin, 2011-2012 (September 1, 2011 – February 25, 2012)

Table 4: Institutional respiratory infection outbreaks in Ontario: new outbreaks* in week 8 and total outbreaks for the season**

Institutional Respiratory Infection Outbreaks		
New Outbreaks*	N	% (of outbreaks)
Influenza A (All subtypes)	1	25.0
Influenza B	2	50.0
Influenza A and B	0	0.0
Parainfluenza (All types)	0	0.0
RSV	0	0.0
Combined Outbreaks [†]	0	0.0
Other organisms ^α	0	0.0
Entero/rhinovirus	0	0.0
No organism identified/reported	1	25.0
TOTAL	4	100.0
Total Respiratory Infection Outbreaks of the Season to date**	N	% (of outbreaks)
Influenza A (All subtypes)	6	1.8
Influenza B	13	3.9
Influenza A and B	1	0.3
Parainfluenza (All types)	28	8.3
RSV	24	7.1
Combined Outbreaks [†]	34	10.1
Other organisms ^α	40	11.9
Entero/rhinovirus	99	29.4
No organism identified/reported	92	27.3
TOTAL	337	100.0
Types of Institutions – All Outbreaks **	N	% (of outbreaks)
Long-Term Care Homes	212	62.9
Hospitals	18	5.3
Retirement Homes	36	10.7
Other	1	0.3
Not Reported	70	20.8
TOTAL	337	100.0

Source: Ontario Ministry of Health and Long-Term Care, integrated Public Health Information System (iPHIS) database, extracted by Public Health Ontario [2012/02/29]

* New outbreaks are those in which the date of onset of illness in the first case occurred and was recorded through iPHIS in the current surveillance period; i.e. February 19, 2012 – February 25, 2012

** Season to date includes all outbreaks in which the date of onset of illness in the first case occurred up to week 8, 2012.

[†] Combined outbreaks include outbreaks in which more than one non-influenza organism has been identified (e.g. RSV, parainfluenza, rhinovirus, etc.)


^α Other organisms include outbreaks involving other aetiological agents, such as human metapneumovirus, adenovirus and coronavirus.

Figure 4: Institutional respiratory infection outbreaks in Ontario by onset of illness in the first case: Total outbreaks up to and including week 8 of the 2011-2012 season by causative organism

Source: Ontario Ministry of Health and Long-Term Care, integrated Public Health Information System (iPHIS) database, extracted by Public Health Ontario [2012/02/29]

Ontario Influenza Bulletin, 2011-2012 (September 1, 2011 – February 25, 2012)

Figure 5: Influenza activity* levels in Ontario by health unit for week 8, 2012




Source: PHO [Provincial Influenza Activity Report (Appendix C) Database]

* Influenza activity levels are assigned by local public health units and reported to PHO by the Tuesday following the end of the surveillance week at 4 pm. Activity levels are assigned based on laboratory confirmations, ILI reports from various sources, and laboratory confirmed institutional respiratory infection outbreaks. Please click here for [detailed definitions for the 2011-2012 season](#).

Ontario Influenza Bulletin, 2011-2012 (September 1, 2011 – February 25, 2012)

Figure 6: Average ILI consultation rate (per 1,000 patient visits) reported by sentinels* in Ontario up to week 8 of the 2011-2012 surveillance season, by report week, compared to Ontario average[†] (1999/2000 to 2007/08 seasons).




Source: Public Health Agency of Canada

* Sentinel information is reported to Public Health Agency of Canada, 65 sentinels reported in week 8.

[†] No data were available for mean rate calculations for previous years for weeks 21 to 39 (1999-2000 through 2004-2005 seasons). During weeks 20-39, 2002-2003/2004-2005 seasons, ILI was reported once every two weeks, on even weeks only.

Ontario Influenza Bulletin, 2011-2012 (September 1, 2011 – February 25, 2012)

Figure 7: Average ILI consultation rate (per 1,000 patient visits) by health unit as reported by sentinels * in Ontario, for week 8



Source: Public Health Agency of Canada

* Sentinels report ILI and patient data to the Public Health Agency of Canada; 65 sentinels reported in week 8, of which 63 were matched to a health unit and represented in the above map.

Note: The small numbers of sentinels reporting at the local level can make the ILI rates unstable. Please interpret these data accordingly.

Table 5: Average influenza-like illness consultation rate (per 1,000 patient visits) by age group as reported by sentinels*in Ontario, for week 8.

Age Category	0 – 4	5 – 19	20 – 64	65 +	Unknown	TOTAL
Number of ILI Consultations	15	16	33	6	0	70
ILI Consultation Rate (per 1,000 patient visits)	95.54	75.83	33.33	14.25	0.00	39.35

Source: Public Health Agency of Canada

* Sentinel information is reported to the Public Health Agency of Canada; 65 sentinels reported in week 8.

Ontario Influenza Bulletin, 2011-2012 (September 1, 2011 – February 25, 2012)

APPENDIX - I

Table 1: NML strain characterization, influenza isolates in Ontario and Canada, September 1, 2011 to March 1, 2012.

	Ontario	Canada
Influenza A (H3N2) A/Perth/16/2009-like*	25	107
Influenza A(H1N1)pdm09 A/California/07/09-like*	65	84
Influenza B B/Brisbane/60/2008-like*	79	136
Influenza B B/Wisconsin/01/2010-like	101	116

Source: Influenza and Respiratory Viruses Section, National Microbiology Laboratory (NML)

Please note that the last version received from PHAC as of 1:00PM on March 1, 2012 was used.

* These strains are components of the seasonal trivalent vaccine for 2011-2012, which contains the same three components as the 2010-2011 vaccine.

Table 2: Amantadine, Oseltamivir and Zanamivir susceptibility assays completed on Canadian influenza isolates by NML, September 1, 2011 to March 1, 2012.

Influenza strains	Amantadine				Oseltamivir				Zanamivir			
	Ontario		Canada		Ontario		Canada		Ontario		Canada	
	R	S	R	S	R	S	R	S	R	S	R	S
Influenza A (H3N2)	32	1	143	1	0	22	0	103	0	18	0	98
Influenza A(H1N1)pdm09	69	0	92	0	0	63	0	79	0	49	0	61
Influenza B	NA	NA	NA	NA	0	137	0	199	0	95	0	150

(R-Resistant, S- Susceptible, NA-Not applicable)

Source: Influenza and Respiratory Viruses Section, National Microbiology Laboratory (NML)

Please note that the last version received from PHAC as of 1:00PM on March 1, 2012 was used.