



Ministry of Health and
Long-Term Care

Inspection Report under
the Long-Term Care
Homes Act, 2007

Ministère de la Santé et des
Soins de longue durée

Rapport d'inspection
prévus le Loi de 2007 les
foyers de soins de longue

Health System Accountability and Performance
Division
Performance Improvement and Compliance Branch
Division de la responsabilisation et de la
performance du système de santé
Direction de l'amélioration de la performance et de la
conformité

Ottawa Service Area Office
347 Preston St, 4th Floor
OTTAWA, ON, K1S-3J4
Telephone: (613) 569-5602
Facsimile: (613) 569-9670

Bureau régional de services d'Ottawa
347, rue Preston, 4^{ème} étage
OTTAWA, ON, K1S-3J4
Téléphone: (613) 569-5602
Télécopieur: (613) 569-9670

Public Copy/Copie du public

Date(s) of inspection/Date(s) de l'inspection	Inspection No/ No de l'inspection	Type of Inspection/Genre d'inspection
Jan 4, 5, 2012	2012_035124_0002	Critical Incident

Licensee/Titulaire de permis

OMNI HEALTH CARE LIMITED PARTNERSHIP
1840 LANSDOWNE STREET WEST, UNIT 12, PETERBOROUGH, ON, K9K-2M9

Long-Term Care Home/Foyer de soins de longue durée

BURNBRAE GARDENS LONG TERM CARE RESIDENCE
320 BURNBRAE ROAD EAST, P.O. BOX 1090, CAMPBELLFORD, ON, K0L-1L0

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

LYNDA HAMILTON (124)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Critical Incident inspection.

During the course of the inspection, the inspector(s) spoke with the Administrator, Life Enrichment Co-ordinator, personal support worker and two residents.

During the course of the inspection, the inspector(s) reviewed the home's "Loss of Power Services-Roles and Responsibilities.

The following Inspection Protocols were used during this inspection:

Safe and Secure Home

Findings of Non-Compliance were found during this inspection.

NON-COMPLIANCE / NON-RESPECT DES EXIGENCES

Legend	Legendé
WN – Written Notification	WN – Avis écrit
VPC – Voluntary Plan of Correction	VPC – Plan de redressement volontaire
DR – Director Referral	DR – Aiguillage au directeur
CO – Compliance Order	CO – Ordre de conformité
WAO – Work and Activity Order	WAO – Ordres : travaux et activités



Ministry of Health and
Long-Term Care

Inspection Report under
the Long-Term Care
Homes Act, 2007

Ministère de la Santé et des
Soins de longue durée

Rapport d'inspection
prévus le Loi de 2007 les
foyers de soins de longue

Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)

The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.

Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.

Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.

WN #1: The Licensee has failed to comply with O.Reg 79/10, s. 19. Generators

Specifically failed to comply with the following subsections:

s. 19. (4) The licensee of a home to which subsection (2) or (3) applies shall ensure, not later than six months after the day this section comes into force, that the home has guaranteed access to a generator that will be operational within three hours of a power outage and that can maintain everything required under clauses (1) (a), (b) and (c). O. Reg. 79/10, s. 19 (4).

Findings/Faits saillants :

1. The licensee failed to comply with O. Reg. r. 19. (4) with regard to the fact that the generator accessed by the home could not maintain the heating system and the resident-staff communication and response system.

Burnbrae Gardens Long Term Care Residence has Class C beds within the meaning of subsection 187 (18) of the Act.

Critical incident 2686-000012-11 reported that on December 8, 2011 the home experienced a power outage of 15-30 minutes.

The administrator reported that the air temperature where residents were located ranged from 22-23.5 degrees Celsius.

The administrator also reported that staff were assigned to resident rooms to monitor resident condition and respond to resident needs.

Two residents were interviewed and reported that on December 8, 2011 the residents were calm, no one was upset, they were warm enough and that the staff looked after them.

The home has access to a generator provided by the local fire department. The administrator reported that this generator could not maintain the home's heating system or the resident-staff communication and response system.

The administrator reported that during a power outage, residents would congregate in common living spaces, like the living rooms, where portable heaters would be used and room temperatures would be monitored. She stated that if room temperatures could not be maintained, the home would have to put their evacuation plan into effect with residents going to evacuation centres. (124)

Additional Required Actions:

CO # - 001 will be served on the licensee. Refer to the "Order(s) of the Inspector".

Issued on this 16th day of January, 2012



Ministry of Health and
Long-Term Care

Inspection Report under
the Long-Term Care
Homes Act, 2007

Ministère de la Santé et des
Soins de longue durée

Rapport d'inspection
prévus le Loi de 2007 les
foyers de soins de longue

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

Lynda Hamilton



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector

Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

Health System Accountability and Performance Division
Performance Improvement and Compliance Branch

Division de la responsabilisation et de la performance du système de santé
Direction de l'amélioration de la performance et de la conformité

Public Copy/Copie du public

Name of Inspector (ID #) / Nom de l'inspecteur (No) :	LYNDA HAMILTON (124)
Inspection No. / No de l'inspection :	2012_035124_0002
Type of Inspection / Genre d'inspection:	Critical Incident
Date of Inspection / Date de l'inspection :	Jan 4, 5, 2012
Licensee / Titulaire de permis :	OMNI HEALTH CARE LIMITED PARTNERSHIP 1840 LANSDOWNE STREET WEST, UNIT 12, PETERBOROUGH, ON, K9K-2M9
LTC Home / Foyer de SLD :	BURNBRAE GARDENS LONG TERM CARE RESIDENCE 320 BURNBRAE ROAD EAST, P.O. BOX 1090, CAMPBELLFORD, ON, K0L-1L0
Name of Administrator / Nom de l'administratrice ou de l'administrateur :	SUSAN CYMBALUK

To OMNI HEALTH CARE LIMITED PARTNERSHIP, you are hereby required to comply with the following order(s) by the date(s) set out below:



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector

Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

Order # / Ordre no :	001	Order Type / Genre d'ordre :	Compliance Orders, s. 153. (1) (a)
---------------------------------------	-----	---	------------------------------------

Pursuant to / Aux termes de :

O.Reg 79/10, s. 19. (4) The licensee of a home to which subsection (2) or (3) applies shall ensure, not later than six months after the day this section comes into force, that the home has guaranteed access to a generator that will be operational within three hours of a power outage and that can maintain everything required under clauses (1) (a), (b) and (c). O. Reg. 79/10, s. 19 (4).

Order / Ordre :

The licensee will ensure that the home has guaranteed access to a generator that will be operational within three hours of a power outage and that can maintain everything required under clauses (1) (a), (b), and (c) of O. Reg. 79/10, s. 19 including: the heating system, emergency lighting and essential services. connections made to the generator must conform to all relevant provincial and municipal codes and regulations.

Grounds / Motifs :

1. The licensee failed to comply with O. Reg. r. 19. (4) with regard to the fact that the generator accessed by the home could not maintain the heating system and the resident-staff communication and response system.

Burnbrae Gardens Long Term Care Residence has Class C beds within the meaning of subsection 187 (18) of the Act.

Critical incident 2686-000012-11 reported that on December 8, 2011 the home experienced a power outage of 15-30 minutes.

The administrator reported that the air temperature where residents were located ranged from 22-23.5 degrees Celsius.

The administrator also reported that staff were assigned to resident rooms to monitor resident condition and respond to resident needs.

Two residents were interviewed and reported that on December 8, 2011 the residents were calm, no one was upset, they were warm enough and that the staff looked after them.

The home has access to a generator provided by the local fire department. The administrator reported that this generator could not maintain the home's heating system or the resident-staff communication and response system.

The administrator reported that during a power outage, residents would congregate in common living spaces, like the living rooms, where portable heaters would be used and room temperatures would be monitored. She stated that if room temperatures could not be maintained, the home would have to put their evacuation plan into effect with residents going to evacuation centres. (124)

This order must be complied with by /

Vous devez vous conformer à cet ordre d'ici le : Mar 31, 2012



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector

Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur

Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector
Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur
Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

REVIEW/APPEAL INFORMATION

TAKE NOTICE:

The Licensee has the right to request a review by the Director of this (these) Order(s) and to request that the Director stay this (these) Order(s) in accordance with section 163 of the *Long-Term Care Homes Act, 2007*.

The request for review by the Director must be made in writing and be served on the Director within 28 days from the day the order was served on the Licensee.

The written request for review must include,

- (a) the portions of the order in respect of which the review is requested;
- (b) any submissions that the Licensee wishes the Director to consider; and
- (c) an address for services for the Licensee.

The written request for review must be served personally, by registered mail or by fax upon:

Director
c/o Appeals Coordinator
Performance Improvement and Compliance Branch
Ministry of Health and Long-Term Care
55 St. Clair Avenue West
Suite 800, 8th Floor
Toronto, ON M4V 2Y2
Fax: 416-327-7603

When service is made by registered mail, it is deemed to be made on the fifth day after the day of mailing and when service is made by fax, it is deemed to be made on the first business day after the day the fax is sent. If the Licensee is not served with written notice of the Director's decision within 28 days of receipt of the Licensee's request for review, this (these) Order(s) is (are) deemed to be confirmed by the Director and the Licensee is deemed to have been served with a copy of that decision on the expiry of the 28 day period.

The Licensee has the right to appeal the Director's decision on a request for review of an Inspector's Order(s) to the Health Services Appeal and Review Board (HSARB) in accordance with section 164 of the *Long-Term Care Homes Act, 2007*. The HSARB is an independent tribunal not connected with the Ministry. They are established by legislation to review matters concerning health care services. If the Licensee decides to request a hearing, the Licensee must, within 28 days of being served with the notice of the Director's decision, give a written notice of appeal to both:

Health Services Appeal and Review Board and the

Director

Attention Registrar
151 Bloor Street West
9th Floor
Toronto, ON M5S 2T5

Director
c/o Appeals Coordinator
Performance Improvement and Compliance Branch
Ministry of Health and Long-Term Care
55 St. Clair Avenue West
Suite 800, 8th Floor
Toronto, ON M4V 2Y2
Fax: 416-327-7603

Upon receipt, the HSARB will acknowledge your notice of appeal and will provide instructions regarding the appeal process. The Licensee may learn more about the HSARB on the website www.hsarb.on.ca.



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector
Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007, S.O. 2007, c.8*

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur
Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée, L.O. 2007, chap. 8*

RENSEIGNEMENTS SUR LE RÉEXAMEN/L'APPEL

PRENDRE AVIS

En vertu de l'article 163 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis peut demander au directeur de réexaminer l'ordre ou les ordres qu'il a donné et d'en suspendre l'exécution.

La demande de réexamen doit être présentée par écrit et est signifiée au directeur dans les 28 jours qui suivent la signification de l'ordre au titulaire de permis.

La demande de réexamen doit contenir ce qui suit :

- a) les parties de l'ordre qui font l'objet de la demande de réexamen;
- b) les observations que le titulaire de permis souhaite que le directeur examine;
- c) l'adresse du titulaire de permis aux fins de signification.

La demande écrite est signifiée en personne ou envoyée par courrier recommandé ou par télécopieur au :

Directeur
a/s Coordinateur des appels
Direction de l'amélioration de la performance et de la conformité
Ministère de la Santé et des Soins de longue durée
55, avenue St. Clair Ouest
8e étage, bureau 800
Toronto (Ontario) M4V 2Y2
Télécopieur : 416-327-7603

Les demandes envoyées par courrier recommandé sont réputées avoir été signifiées le cinquième jour suivant l'envoi et, en cas de transmission par télécopieur, la signification est réputée faite le jour ouvrable suivant l'envoi. Si le titulaire de permis ne reçoit pas d'avis écrit de la décision du directeur dans les 28 jours suivant la signification de la demande de réexamen, l'ordre ou les ordres sont réputés confirmés par le directeur. Dans ce cas, le titulaire de permis est réputé avoir reçu une copie de la décision avant l'expiration du délai de 28 jours.

En vertu de l'article 164 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis a le droit d'interjeter appel, auprès de la Commission d'appel et de révision des services de santé, de la décision rendue par le directeur au sujet d'une demande de réexamen d'un ordre ou d'ordres donnés par un inspecteur. La Commission est un tribunal indépendant du ministère. Il a été établi en vertu de la loi et il a pour mandat de trancher des litiges concernant les services de santé. Le titulaire de permis qui décide de demander une audience doit, dans les 28 jours qui suivent celui où lui a été signifié l'avis de décision du directeur, faire parvenir un avis d'appel écrit aux deux endroits suivants :

À l'attention du registraire
Commission d'appel et de révision des services de santé
151, rue Bloor Ouest, 9e étage
Toronto (Ontario) M5S 2T5

Directeur
a/s Coordinateur des appels
Direction de l'amélioration de la performance et de la conformité
Ministère de la Santé et des Soins de longue durée
55, avenue St. Clair Ouest
8e étage, bureau 800
Toronto (Ontario) M4V 2Y2
Télécopieur : 416-327-7603

La Commission accusera réception des avis d'appel et transmettra des instructions sur la façon de procéder pour interjeter appel. Les titulaires de permis peuvent se renseigner sur la Commission d'appel et de révision des services de santé en consultant son site Web, au www.hsarb.on.ca.

Issued on this 5th day of January, 2012

**Signature of Inspector /
Signature de l'inspecteur :**

**Name of Inspector /
Nom de l'inspecteur :** LYNDA HAMILTON

**Service Area Office /
Bureau régional de services :** Ottawa Service Area Office