



**Ministry of Health and
Long-Term Care**

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Ministère de la Santé et des
Soins de longue durée**

**Rapport d'inspection
prévus le Loi de 2007 les
foyers de soins de longue**

Health System Accountability and Performance
Division
Performance Improvement and Compliance Branch
Division de la responsabilisation et de la
performance du système de santé
Direction de l'amélioration de la performance et de la
conformité

Ottawa Service Area Office
347 Preston St, 4th Floor
OTTAWA, ON, K1S-3J4
Telephone: (613) 569-5602
Facsimile: (613) 569-9670

Bureau régional de services d'Ottawa
347, rue Preston, 4^{ème} étage
OTTAWA, ON, K1S-3J4
Téléphone: (613) 569-5602
Télécopieur: (613) 569-9670

Public Copy/Copie du public

Date(s) of inspection/Date(s) de l'inspection	Inspection No/ No de l'inspection	Type of Inspection/Genre d'inspection
Aug 17, 20, 29, 2012	2012_046166_0046	Complaint

Licensee/Titulaire de permis

EXTENDICARE TORONTO INC
3000 STEELES AVENUE EAST, SUITE 700, MARKHAM, ON, L3R-9W2

Long-Term Care Home/Foyer de soins de longue durée

EXTENDICARE SCARBOROUGH
3830 LAWRENCE AVENUE EAST, SCARBOROUGH, ON, M1G-1R6

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

CAROLINE TOMPKINS (166)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Complaint inspection.

During the course of the inspection, the inspector(s) spoke with the Physician, the Administrator and the Director of Care.

During the course of the inspection, the inspector(s) reviewed the resident's clinical health records.

The following Inspection Protocols were used during this inspection:

Personal Support Services

Findings of Non-Compliance were found during this inspection.

NON-COMPLIANCE / NON-RESPECT DES EXIGENCES

Legend

WN – Written Notification
VPC – Voluntary Plan of Correction
DR – Director Referral
CO – Compliance Order
WAO – Work and Activity Order

Legendé

WN – Avis écrit
VPC – Plan de redressement volontaire
DR – Aiguillage au directeur
CO – Ordre de conformité
WAO – Ordres : travaux et activités



Ministry of Health and
Long-Term Care

Inspection Report under
the Long-Term Care
Homes Act, 2007

Ministère de la Santé et des
Soins de longue durée

Rapport d'inspection
prévus le Loi de 2007 les
foyers de soins de longue

Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)

The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.

Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.

Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.

WN #1: The Licensee has failed to comply with LTCHA, 2007 S.O. 2007, c.8, s. 6. Plan of care

Specifically failed to comply with the following subsections:

s. 6. (5) The licensee shall ensure that the resident, the resident's substitute decision-maker, if any, and any other persons designated by the resident or substitute decision-maker are given an opportunity to participate fully in the development and implementation of the resident's plan of care. 2007, c. 8, s. 6 (5).

Findings/Faits saillants :

1. The Licensee failed ensure that the resident (02), the resident's substitute decision maker were given an opportunity to participate fully in the development and implementation of the resident's plan of care.

Interview with the resident's Physician and the Director of Care confirmed that the resident's Power of Attorney was not notified of a change in the resident's treatment plan.

Issued on this 29th day of August, 2012

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs