



**Ministry of Health and
Long-Term Care**

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Ministère de la Santé et des
Soins de longue durée**

**Rapport d'inspection
prévus le Loi de 2007 les
foyers de soins de longue**

Health System Accountability and Performance
Division
Performance Improvement and Compliance Branch
Division de la responsabilisation et de la
performance du système de santé
Direction de l'amélioration de la performance et de la
conformité

Ottawa Service Area Office
347 Preston St, 4th Floor
OTTAWA, ON, K1S-3J4
Telephone: (613) 569-5602
Facsimile: (613) 569-9670

Bureau régional de services d'Ottawa
347, rue Preston, 4^{ème} étage
OTTAWA, ON, K1S-3J4
Téléphone: (613) 569-5602
Télécopieur: (613) 569-9670

Public Copy/Copie du public

Date(s) of inspection/Date(s) de l'inspection	Inspection No/ No de l'inspection	Type of Inspection/Genre d'inspection
May 16, 2012	2012_028102_0026	Critical Incident

Licensee/Titulaire de permis

VIGOUR LIMITED PARTNERSHIP ON BEHALF OF VIGOUR
302 Town Centre Blvd, Suite #200, MARKHAM, ON, L3R-0E8

Long-Term Care Home/Foyer de soins de longue durée

LEISUREWORLD CAREGIVING CENTRE - ROCKCLIFFE
3015 LAWRENCE AVENUE EAST, SCARBOROUGH, ON, M1P-2V7

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

WENDY BERRY (102)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Critical Incident inspection.

During the course of the inspection, the inspector(s) spoke with Director of Resident Care, Environmental Services Manager, Maintenance person.

During the course of the inspection, the inspector(s) observed equipment in the mechanical room on the lower level; discussed carbon monoxide detection; reviewed records related to the preventative maintenance program for the HVAC system and hot water heating system.

The following Inspection Protocols were used during this inspection:

Accommodation Services - Maintenance

There are no findings of Non-Compliance as a result of this inspection.

NON-COMPLIANCE / NON-RESPECT DES EXIGENCES



Ministry of Health and
Long-Term Care

Inspection Report under
the Long-Term Care
Homes Act, 2007

Ministère de la Santé et des
Soins de longue durée

Rapport d'inspection
prévus le Loi de 2007 les
foyers de soins de longue

Legend	Legende
WN – Written Notification VPC – Voluntary Plan of Correction DR – Director Referral CO – Compliance Order WAO – Work and Activity Order	WN – Avis écrit VPC – Plan de redressement volontaire DR – Aiguillage au directeur CO – Ordre de conformité WAO – Ordres : travaux et activités
Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)	Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.
The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.	Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.

Issued on this 16th day of May, 2012

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs