

**Ministry of Health
and Long-Term Care**

Health System Accountability and
Performance Division
Performance Improvement and Compliance Branch
Ottawa Service Area Office

347 Preston St., 4th Floor
Ottawa ON K1S 3J4
Telephone: 613-569-5602
Facsimile: 613-569-9670

**Ministère de la Santé
et des Soins de longue durée**

Division de la responsabilisation et de la
performance du système de santé
Direction de l'amélioration de la performance
et de la conformité
Bureau régional de services de Ottawa

347, rue Preston, 4^{ième} étage
Ottawa ON K1S 3J4
Téléphone: 613-569-5602
Télécopieur: 613-569-9670



November 30, 2011

Ms. Kim Ryley
Administrator
Maplewood
12 Maplewood Avenue
Bow 249
Brighton ON K0K 1B0

Dear Ms. Ryley:

Please find enclosed the ***Inspection Report-Public Copy*** for an inspection conducted on October 12 to 14 and November 4 and 8, 2011 under the *Long-Term Care Homes Act, 2007* (LTCHA) for the purpose of ensuring compliance with requirements under the LTCHA.

This inspection report must be posted in the home, in a conspicuous and easily accessible location in accordance with the LTCHA, 2007, S.O. 2007, c.8, s.79 (1) and (2).

A copy of the ***Inspection Report-Public Copy*** must be made available without charge upon request. The report will also be on file with the Ottawa Service Area Office, Performance Improvement and Compliance Branch.

Sincerely

A handwritten signature in black ink, appearing to read "Wendy Berry".

for Wendy Berry
LTC Home Inspector – Environmental Health

- c President, Resident's Council
President, Family Council



**Ministry of Health and
Long-Term Care**

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Ministère de la Santé et des
Soins de longue durée**

**Rapport d'inspection
prévus le Loi de 2007 les
foyers de soins de longue**

Health System Accountability and Performance

Division

Performance Improvement and Compliance Branch

**Division de la responsabilisation et de la
performance du système de santé**

**Direction de l'amélioration de la performance et de la
conformité**

Ottawa Service Area Office

347 Preston St, 4th Floor

OTTAWA, ON, K1S-3J4

Telephone: (613) 569-5602

Facsimile: (613) 569-9670

Bureau régional de services d'Ottawa

347, rue Preston, 4^{ème} étage

OTTAWA, ON, K1S-3J4

Téléphone: (613) 569-5602

Télécopieur: (613) 569-9670

Public Copy/Copie du public

Date(s) of inspection/Date(s) de l'inspection	Inspection No/ No de l'inspection	Type of Inspection/Genre d'inspection
Oct 12, 13, 14, Nov 4, 8, 2011	2011_028102_0019	Critical Incident

Licensee/Titulaire de permis

OMNI HEALTH CARE LIMITED PARTNERSHIP

1840 LANSDOWNE STREET WEST, UNIT 12, PETERBOROUGH, ON, K9K-2M9

Long-Term Care Home/Foyer de soins de longue durée

MAPLEWOOD

12 MAPLEWOOD AVENUE, BOX 249, BRIGHTON, ON, K0K-1H0

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

WENDY BERRY (102), CHANTAL LAFRENIERE (194)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Critical Incident inspection.

During the course of the inspection, the inspector(s) spoke with the Administrator/Director of Care, Maintenance person, 3 Registered Staff and 4 Personal Support Workers, the resident, Power of Attorney, Clinical Coordinator, Physio Therapy Assistant

During the course of the inspection, the inspector(s) conducted a walk through of resident and staff areas on the main floor of the long term care home; reviewed and checked door security systems; reviewed Resident Council meeting minutes for September 2011; reviewed an identified resident's clinical health record, staffing assignment

The following Inspection Protocols were used during this inspection:

Critical Incident Response

Falls Prevention

Reporting and Complaints

Safe and Secure Home

Sufficient Staffing

Findings of Non-Compliance were found during this inspection.

NON-COMPLIANCE / NON-RESPECT DES EXIGENCES	
Legend WN – Written Notification VPC – Voluntary Plan of Correction DR – Director Referral CO – Compliance Order WAO – Work and Activity Order	Legendé WN – Avis écrit VPC – Plan de redressement volontaire DR – Aiguillage au directeur CO – Ordre de conformité WAO – Ordres : travaux et activités
Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.) The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.	Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD. Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.

WN #1: The Licensee has failed to comply with O.Reg 79/10, s. 9. Doors in a home

Specifically failed to comply with the following subsections:

s. 9. (1) Every licensee of a long-term care home shall ensure that the following rules are complied with:

1. All doors leading to stairways and the outside of the home other than doors leading to secure outside areas that preclude exit by a resident, including balconies and terraces, or doors that residents do not have access to must be,

i. kept closed and locked,

ii. equipped with a door access control system that is kept on at all times, and

iii. equipped with an audible door alarm that allows calls to be cancelled only at the point of activation and,

A. is connected to the resident-staff communication and response system, or

B. is connected to an audio visual enunciator that is connected to the nurses' station nearest to the door and has a manual reset switch at each door.

1.1. All doors leading to secure outside areas that preclude exit by a resident, including balconies and terraces, must be equipped with locks to restrict unsupervised access to those areas by residents.

2. All doors leading to non-residential areas must be equipped with locks to restrict unsupervised access to those areas by residents.

3. Any locks on bedrooms, washrooms, toilet or shower rooms must be designed and maintained so they can be readily released from the outside in an emergency.

4. All alarms for doors leading to the outside must be connected to a back-up power supply, unless the home is not served by a generator, in which case the staff of the home shall monitor the doors leading to the outside in accordance with the procedures set out in the home's emergency plans. O. Reg. 79/10, s. 9. (1).

Findings/Faits saillants :

1. Two doors lead into the kitchen from the adjoining residents' dining room. The two kitchen doors are equipped with locks.

A resident gained unsupervised access into the kitchen through an unlocked door and exited the long term care home through a door that leads from the kitchen to the outside of the long term care home.

The resident was located outside of the home. [s.9. 2.]

2. The resident accessible exit door which leads from the north side of the dining room to the outside of the long term care home is not equipped with a door access control system to control residents from exiting the long term care home. [s. 9.(1)1.ii]

WN #2: The Licensee has failed to comply with O.Reg 79/10, s. 17. Communication and response system
Specifically failed to comply with the following subsections:

s. 17. (1) Every licensee of a long-term care home shall ensure that the home is equipped with a resident-staff communication and response system that,
(a) can be easily seen, accessed and used by residents, staff and visitors at all times;
(b) is on at all times;
(c) allows calls to be cancelled only at the point of activation;
(d) is available at each bed, toilet, bath and shower location used by residents;
(e) is available in every area accessible by residents;
(f) clearly indicates when activated where the signal is coming from; and
(g) in the case of a system that uses sound to alert staff, is properly calibrated so that the level of sound is audible to staff. O. Reg. 79/10, s. 17 (1).

Findings/Faits saillants :

1. The resident- staff communication and response system is not available in all areas within the long term care home that are accessed by residents: the dining and program areas that adjoins the kitchen; the lounge located across from the visitors' washroom; and in the "Maplewood" lounge. [s. 17.(1)(e)]

Additional Required Actions:

CO # - 001 will be served on the licensee. Refer to the "Order(s) of the Inspector".

WN #3: The Licensee has failed to comply with LTCHA, 2007 S.O. 2007, c.8, s. 22. Licensee to forward complaints

Specifically failed to comply with the following subsections:

s. 22. (1) Every licensee of a long-term care home who receives a written complaint concerning the care of a resident or the operation of the long-term care home shall immediately forward it to the Director. 2007, c. 8, s. 22 (1).

Findings/Faits saillants :



**Ministry of Health and
Long-Term Care**

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Ministère de la Santé et des
Soins de longue durée**

**Rapport d'inspection
prévus le Loi de 2007 les
foyers de soins de longue**

The Administrator received a written complaint by e-mail from a resident's family expressing concerns about the care of a resident.

On October 13, 2011 it was confirmed by the Administrator that the identified written complaint had not been forwarded to the Director.

The Licensee did not immediately forward the written complaint to the Director as required. [s.22(1)]

Issued on this 8th day of November, 2011

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

A handwritten signature in cursive script, reading "Wendy Bury".

A handwritten signature in cursive script, reading "Chantal Laprenee".



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector
Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur
Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

**Health System Accountability and Performance Division
Performance Improvement and Compliance Branch**

**Division de la responsabilisation et de la performance du système de santé
Direction de l'amélioration de la performance et de la conformité**

Public Copy/Copie du public

Name of Inspector (ID #) / Nom de l'inspecteur (No) :	WENDY BERRY (102), CHANTAL LAFRENIERE (194)
Inspection No. / No de l'inspection :	2011_028102_0019
Type of Inspection / Genre d'inspection:	Critical Incident
Date of Inspection / Date de l'inspection :	Oct 12, 13, 14, Nov 4, 8, 2011
Licensee / Titulaire de permis :	OMNI HEALTH CARE LIMITED PARTNERSHIP 1840 LANSDOWNE STREET WEST, UNIT 12, PETERBOROUGH, ON, K9K-2M9
LTC Home / Foyer de SLD :	MAPLEWOOD 12 MAPLEWOOD AVENUE, BOX 249, BRIGHTON, ON, K0K-1H0
Name of Administrator / Nom de l'administratrice ou de l'administrateur :	KIM RYLEY <i>Nancy McNairn</i>

To OMNI HEALTH CARE LIMITED PARTNERSHIP, you are hereby required to comply with the following order(s) by the date(s) set out below:



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector
Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur
Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

Order # / Ordre no :	001	Order Type / Genre d'ordre :	Compliance Orders, s. 153. (1) (a)
---------------------------------	-----	---	------------------------------------

Pursuant to / Aux termes de :

O.Reg 79/10, s. 17. (1) Every licensee of a long-term care home shall ensure that the home is equipped with a resident-staff communication and response system that,
(a) can be easily seen, accessed and used by residents, staff and visitors at all times;
(b) is on at all times;
(c) allows calls to be cancelled only at the point of activation;
(d) is available at each bed, toilet, bath and shower location used by residents;
(e) is available in every area accessible by residents;
(f) clearly indicates when activated where the signal is coming from; and
(g) in the case of a system that uses sound to alert staff, is properly calibrated so that the level of sound is audible to staff. O. Reg. 79/10, s. 17 (1).

Order / Ordre :

The licensee will ensure that the resident-staff communication and response system is available in every area within the long term care home that is accessible by residents, including the dining room, lounge and program areas.

Grounds / Motifs :

1. The resident staff communication and response system is not available in several areas within the long term care home that are accessible by residents: the dining and program areas that adjoins the kitchen; the lounge located across from the visitors' washroom, and in the "Maplewood" lounge. (102)

This order must be complied with by /

Vous devez vous conformer à cet ordre d'ici le : May 01, 2012



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector
Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007*, S.O. 2007, c.8

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur
Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée*, L.O. 2007, chap. 8

REVIEW/APPEAL INFORMATION

TAKE NOTICE:

The Licensee has the right to request a review by the Director of this (these) Order(s) and to request that the Director stay this (these) Order(s) in accordance with section 163 of the *Long-Term Care Homes Act, 2007*.

The request for review by the Director must be made in writing and be served on the Director within 28 days from the day the order was served on the Licensee.

The written request for review must include,

- (a) the portions of the order in respect of which the review is requested;
- (b) any submissions that the Licensee wishes the Director to consider; and
- (c) an address for services for the Licensee.

The written request for review must be served personally, by registered mail or by fax upon:

Director
c/o Appeals Coordinator
Performance Improvement and Compliance Branch
Ministry of Health and Long-Term Care
55 St. Clair Avenue West
Suite 800, 8th Floor
Toronto, ON M4V 2Y2
Fax: 416-327-7603

When service is made by registered mail, it is deemed to be made on the fifth day after the day of mailing and when service is made by fax, it is deemed to be made on the first business day after the day the fax is sent. If the Licensee is not served with written notice of the Director's decision within 28 days of receipt of the Licensee's request for review, this(these) Order(s) is(are) deemed to be confirmed by the Director and the Licensee is deemed to have been served with a copy of that decision on the expiry of the 28 day period.

The Licensee has the right to appeal the Director's decision on a request for review of an Inspector's Order(s) to the Health Services Appeal and Review Board (HSARB) in accordance with section 164 of the *Long-Term Care Homes Act, 2007*. The HSARB is an independent tribunal not connected with the Ministry. They are established by legislation to review matters concerning health care services. If the Licensee decides to request a hearing, the Licensee must, within 28 days of being served with the notice of the Director's decision, give a written notice of appeal to both:

Health Services Appeal and Review Board and the

Director

Attention Registrar
151 Bloor Street West
9th Floor
Toronto, ON M5S 2T5

Director
c/o Appeals Coordinator
Performance Improvement and Compliance Branch
Ministry of Health and Long-Term Care
55 St. Clair Avenue West
Suite 800, 8th Floor
Toronto, ON M4V 2Y2
Fax: 416-327-7603

Upon receipt, the HSARB will acknowledge your notice of appeal and will provide instructions regarding the appeal process. The Licensee may learn more about the HSARB on the website www.hsarb.on.ca.



**Ministry of Health and
Long-Term Care**

Order(s) of the Inspector
Pursuant to section 153 and/or
section 154 of the *Long-Term Care
Homes Act, 2007, S.O. 2007, c.8*

**Ministère de la Santé et
des Soins de longue durée**

Ordre(s) de l'inspecteur
Aux termes de l'article 153 et/ou
de l'article 154 de la *Loi de 2007 sur les foyers
de soins de longue durée, L.O. 2007, chap. 8*

RENSEIGNEMENTS SUR LE RÉEXAMEN/L'APPEL

PRENDRE AVIS

En vertu de l'article 163 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis peut demander au directeur de réexaminer l'ordre ou les ordres qu'il a donné et d'en suspendre l'exécution.

La demande de réexamen doit être présentée par écrit et est signifiée au directeur dans les 28 jours qui suivent la signification de l'ordre au titulaire de permis.

La demande de réexamen doit contenir ce qui suit :

- a) les parties de l'ordre qui font l'objet de la demande de réexamen;
- b) les observations que le titulaire de permis souhaite que le directeur examine;
- c) l'adresse du titulaire de permis aux fins de signification.

La demande écrite est signifiée en personne ou envoyée par courrier recommandé ou par télécopieur au :

Directeur
a/s Coordinateur des appels
Direction de l'amélioration de la performance et de la conformité
Ministère de la Santé et des Soins de longue durée
55, avenue St. Clair Ouest
8e étage, bureau 800
Toronto (Ontario) M4V 2Y2
Télécopieur : 416-327-7603

Les demandes envoyées par courrier recommandé sont réputées avoir été signifiées le cinquième jour suivant l'envoi et, en cas de transmission par télécopieur, la signification est réputée faite le jour ouvrable suivant l'envoi. Si le titulaire de permis ne reçoit pas d'avis écrit de la décision du directeur dans les 28 jours suivant la signification de la demande de réexamen, l'ordre ou les ordres sont réputés confirmés par le directeur. Dans ce cas, le titulaire de permis est réputé avoir reçu une copie de la décision avant l'expiration du délai de 28 jours.

En vertu de l'article 164 de la Loi de 2007 sur les foyers de soins de longue durée, le titulaire de permis a le droit d'interjeter appel, auprès de la Commission d'appel et de révision des services de santé, de la décision rendue par le directeur au sujet d'une demande de réexamen d'un ordre ou d'ordres donnés par un inspecteur. La Commission est un tribunal indépendant du ministère. Il a été établi en vertu de la loi et il a pour mandat de trancher des litiges concernant les services de santé. Le titulaire de permis qui décide de demander une audience doit, dans les 28 jours qui suivent celui où lui a été signifié l'avis de décision du directeur, faire parvenir un avis d'appel écrit aux deux endroits suivants :

À l'attention du registraire
Commission d'appel et de révision des services de santé
151, rue Bloor Ouest, 9e étage
Toronto (Ontario) M5S 2T5

Directeur
a/s Coordinateur des appels
Direction de l'amélioration de la performance et de la conformité
Ministère de la Santé et des Soins de longue durée
55, avenue St. Clair Ouest
8e étage, bureau 800
Toronto (Ontario) M4V 2Y2
Télécopieur : 416-327-7603

La Commission accusera réception des avis d'appel et transmettra des instructions sur la façon de procéder pour interjeter appel. Les titulaires de permis peuvent se renseigner sur la Commission d'appel et de révision des services de santé en consultant son site Web, au www.hsarb.on.ca.

Issued on this 8th day of November, 2011

**Signature of Inspector /
Signature de l'inspecteur :**

**Name of Inspector /
Nom de l'inspecteur :**

WENDY BERRY

Service Area Office /

Bureau régional de services : Ottawa Service Area Office