



**Ministry of Health and
Long-Term Care**

**Inspection Report under
the Long-Term Care
Homes Act, 2007**

**Ministère de la Santé et des
Soins de longue durée**

**Rapport d'inspection
prévus le Loi de 2007 les
foyers de soins de longue**

Health System Accountability and Performance
Division
Performance Improvement and Compliance Branch
Division de la responsabilisation et de la
performance du système de santé
Direction de l'amélioration de la performance et de la
conformité

Ottawa Service Area Office
347 Preston St, 4th Floor
OTTAWA, ON, K1S-3J4
Telephone: (613) 569-5602
Facsimile: (613) 569-9670

Bureau régional de services d'Ottawa
347, rue Preston, 4^{ème} étage
OTTAWA, ON, K1S-3J4
Téléphone: (613) 569-5602
Télécopieur: (613) 569-9670

Public Copy/Copie du public

Date(s) of inspection/Date(s) de l'inspection	Inspection No/ No de l'inspection	Type of Inspection/Genre d'inspection
Oct 22, 23, 24, 2012	2012_049143_0040	Critical Incident

Licensee/Titulaire de permis

OMNI HEALTH CARE LIMITED PARTNERSHIP
1840 LANSDOWNE STREET WEST, UNIT 12, PETERBOROUGH, ON, K9K-2M9

Long-Term Care Home/Foyer de soins de longue durée

STREAMWAY VILLA
19 JAMES STREET WEST, COBOURG, ON, K9A-2J8

Name of Inspector(s)/Nom de l'inspecteur ou des inspecteurs

PAUL MILLER (143)

Inspection Summary/Résumé de l'inspection

The purpose of this inspection was to conduct a Critical Incident inspection.

During the course of the inspection, the inspector(s) spoke with The Administrator/Director of Nursing, a Registered Nurse and Registered Practical Nurses.

During the course of the inspection, the inspector(s) Reviewed medication policies and procedures, the Pharmacy Manual and observed medications being administered.

The following Inspection Protocols were used during this inspection:

Medication

Findings of Non-Compliance were found during this inspection.

NON-COMPLIANCE / NON-RESPECT DES EXIGENCES

Legend

WN – Written Notification
VPC – Voluntary Plan of Correction
DR – Director Referral
CO – Compliance Order
WAO – Work and Activity Order

Legendé

WN – Avis écrit
VPC – Plan de redressement volontaire
DR – Aiguillage au directeur
CO – Ordre de conformité
WAO – Ordres : travaux et activités



Ministry of Health and
Long-Term Care

Inspection Report under
the Long-Term Care
Homes Act, 2007

Ministère de la Santé et des
Soins de longue durée

Rapport d'inspection
prévus le Loi de 2007 les
foyers de soins de longue

Non-compliance with requirements under the Long-Term Care Homes Act, 2007 (LTCHA) was found. (A requirement under the LTCHA includes the requirements contained in the items listed in the definition of "requirement under this Act" in subsection 2(1) of the LTCHA.)	Le non-respect des exigences de la Loi de 2007 sur les foyers de soins de longue durée (LFSLD) a été constaté. (Une exigence de la loi comprend les exigences qui font partie des éléments énumérés dans la définition de « exigence prévue par la présente loi », au paragraphe 2(1) de la LFSLD.
The following constitutes written notification of non-compliance under paragraph 1 of section 152 of the LTCHA.	Ce qui suit constitue un avis écrit de non-respect aux termes du paragraphe 1 de l'article 152 de la LFSLD.

WN #1: The Licensee has failed to comply with O.Reg 79/10, s. 129. Safe storage of drugs

Specifically failed to comply with the following subsections:

- s. 129. (1) Every licensee of a long-term care home shall ensure that,**
- (a) drugs are stored in an area or a medication cart,**
 - (i) that is used exclusively for drugs and drug-related supplies,**
 - (ii) that is secure and locked,**
 - (iii) that protects the drugs from heat, light, humidity or other environmental conditions in order to maintain efficacy, and**
 - (iv) that complies with manufacturer's instructions for the storage of the drugs; and**
 - (b) controlled substances are stored in a separate, double-locked stationary cupboard in the locked area or stored in a separate locked area within the locked medication cart. O. Reg. 79/10, s. 129 (1).**

Findings/Faits saillants :

1. On October 22, 2012 a Registered Nurse (S101) and Registered Practical Nurse (S102) were interviewed concerning controlled substances. These staff members demonstrated medications strip packages for two residents that were prescribed controlled substances. These medications were not double-locked. Staff reported that all PRN (as necessary) controlled substances were provided by the pharmacy in a separate package and were double locked.

The licensee has failed to ensure that Ont/Regulation section 129 (1) (b) is complied with by not double locking all controlled substances.

WN #2: The Licensee has failed to comply with O.Reg 79/10, s. 131. Administration of drugs

Specifically failed to comply with the following subsections:

- s. 131. (2) The licensee shall ensure that drugs are administered to residents in accordance with the directions for use specified by the prescriber. O. Reg. 79/10, s. 131 (2).**

Findings/Faits saillants :

1. Resident # 1 was ordered an oral controlled substance to be administered three times per day. The resident was observed pocketing this controlled substance. When approached by staff it was discovered that the resident had nine controlled substances in their nightstand and one other found in discarded clothing. A review of the homes Pharmacy Manual with the Administrator indicated that Registered Staff are to ensure that medications administered are taken. The Licensee has failed to comply with Ont. Regulation 79/10 section 131. (2) by not ensuring that drugs are administered to residents in accordance with directions for use specified by the prescriber.

Issued on this 24th day of October, 2012



Ministry of Health and
Long-Term Care

Inspection Report under
the Long-Term Care
Homes Act, 2007

Ministère de la Santé et des
Soins de longue durée

Rapport d'inspection
prévus le Loi de 2007 les
foyers de soins de longue

Signature of Inspector(s)/Signature de l'inspecteur ou des inspecteurs

A handwritten signature in black ink, appearing to read "P. Miller", written within the signature box.