

[redacted]	
Risk 17	The structure proposed for the Ontario Fair Hydro Plan is
[redacted]	

RISK ASSESSMENT RESULTS

** This considers the highest absolute impact rating a risk received by category*



[redacted]

Risk 17	The structure proposed for the Ontario Fair Hydro Plan is abandoned or fails, either in whole or in part

[redacted]

RISK - The structure proposed for the Ontario Fair Hydro Plan is abandoned or fails, either in whole or in part

IMPACT - The consequences of the risk occurring.

Impact		Impact of Occurrence							
Description	**Score**	**Financial / Market[1 2]**	**Stakeholdering / Public Relations [4]**	**Regulatory[3]**	**Reliability**	**Market**	**Organizational Agility**		
NI		**5**	**4**	**3**	**0**	**0**	**5**		
JB		**5**	**5**	**5**	**0**	**0**	**5**		
SN		**5**	**4**	**4**	**0**	**0**	**5**		
AM		**5**	**4**	**3**	**0**	**0**	**5**		
LK		**5**	**4**	**3**	**0**	**0**	**5**	89	**3.6**

LIKELIHOOD - The probability of the risk event occurring. Considerations in the level of likelihood include the number, frequency, and/or

Likelihood		Likelihood of Occurrence		
Description	**Score**	**Probability of Occurrence**	**Timeline of Event Occurrence**	
Rare	1	0% - 9%	Event has not occurred, may only occur in exceptional circumstances	
Unlikely	2	10% - 34%	Event could occur at some time, but is unlikely to occur	
Possible	3	35% - 64%	Event might occur at some time, have heard of this occurring	
Likely	4	65% - 89%	Event will probably occur in most circumstances, have heard of	
Almost Certain	5	90% - 100%	Event is expected to occur in most circumstances, have heard of this occurring several times	
NI	**2**			
JB	**2**			
SN	**3**			
AM	**2**			
LK	**2**			**2.2**

SPEED OF ONSET - The expected time for the risk event to manifest itself.

Description	Score	Speed of Onset
Very Low	1	Very slow onset, occurs over one year or more
Low	2	Onset occurs in a matter of several months
Moderate	3	Onset occurs in a matter of a few months
High	4	Onset occurs in a matter of days to a few weeks
Severe	5	Very rapid onset, little or no warning, instantaneous
NI	**2**	
JB	**2**	

SN	2
AM	2
LK	2

Cell: G4

Comment: Alexander DeAngelis:

Consider removing this category as price or design inefficiency would ultimately lead to market $ impact.