

```

<?xml version="1.0" encoding="UTF-8" ?>
<QUITEXML xmlns="http://www.quite.com/general/ns/quitexml/">
<ITEMS>
<DICT N='0'>  <ITEMS>
  <A N='Category'>HistoryItem_V1</A>
  <A N='Command'>TrimAndShift</A>
  <DICT N='Desc'>    <ITEMS>
    <S N='0'>Range: all pages</S>
    <S N='1'>Trim: fix size 9.000 x 11.500 inches / 228.6 x 292.1 mm</S>
    <S N='2'>Shift: none</S>
    <S N='3'>Normalise (advanced option): &apos;improved&apos;</S>
  </ITEMS>  </DICT>

<DICT N='Params'>    <ITEMS>
  <I N='CreepEvery'>32</I>
  <DICT N='FixedSize'>    <ITEMS>
    <S N='Created'>D:20090928101522</S>
    <F N='Height'>828.0000</F>
    <S N='Name'>Bleed</S>
    <A N='Type'>Blank</A>
    <F N='Width'>648.0000</F>
  </ITEMS>    </DICT>

  <A N='FixedSizeOrientation'>Tall</A>
  <B N='Interactive'>1</B>
  <B N='NewDoc'>0</B>
  <A N='Normalise'>Full</A>
  <I N='PosX'>96</I>
  <I N='PosY'>548</I>
  <A N='Shift'>None</A>
  <A N='ShiftDir'>Up</A>
  <F N='ShiftFrom'>7.2000</F>
  <F N='ShiftTo'>0.0000</F>
  <DICT N='Source'>    <ITEMS>
    <DICT N='Range'>    <ITEMS>
      <A N='EvenOdd'>Both</A>
      <I N='From'>17</I>
      <A N='RangeType'>AllDoc</A>
      <I N='To'>22</I>
    </ITEMS>    </DICT>

    <A N='SourceType'>CurrentAVDoc</A>
  </ITEMS>    </DICT>

  <A N='Trim'>Uniform</A>
  <F N='TrimBy'>116.6400</F>
  <A N='TrimEdge'>Left</A>
</ITEMS>  </DICT>

```

```
<DICT N='Provider'>    <ITEMS>
  <S N='Code'>QITE_QuiteImposingPlus2</S>
  <S N='FullName'>Quite Imposing Plus 2.9b</S>
  <S N='Name'>Quite Imposing Plus 2</S>
  <I N='Version'>1</I>
</ITEMS>  </DICT>
```

```
<DICT N='Result'>    <ITEMS>
  <I N='CurrentPage'>0</I>
  <I N='DocPages'>100</I>
  <I N='FirstPage'>99</I>
  <I N='PagesProcessed'>100</I>
</ITEMS>  </DICT>
```

```
<I N='Version'>1</I>
</ITEMS></DICT>
```

```
<DICT N='1'>  <ITEMS>
  <A N='Category'>HistoryItem_V1</A>
  <A N='Command'>DefineBleed</A>
  <DICT N='Desc'>    <ITEMS>
    <S N='0'>Range: all pages</S>
    <S N='1'>Request: bleed all round 18.00 points</S>
    <S N='2'>Bleed area is outside visible: no</S>
  </ITEMS>  </DICT>
```

```
<DICT N='Params'>    <ITEMS>
  <F N='BMgn'>18.0000</F>
  <B N='Interactive'>1</B>
  <F N='LMgn'>22.5000</F>
  <F N='Margin'>18.0000</F>
  <B N='NewDoc'>0</B>
  <B N='Outside'>0</B>
  <F N='RMgn'>22.5000</F>
  <A N='Request'>Fixed</A>
  <DICT N='Source'>    <ITEMS>
    <DICT N='Range'>    <ITEMS>
      <A N='EvenOdd'>Both</A>
      <A N='RangeType'>AllDoc</A>
    </ITEMS>    </DICT>

    <A N='SourceType'>CurrentAVDoc</A>
  </ITEMS>    </DICT>

  <F N='TMgn'>18.0000</F>
</ITEMS>  </DICT>
```

```
<DICT N='Provider'>    <ITEMS>
  <S N='Code'>QITE_QuiteImposingPlus2</S>
  <S N='FullName'>Quite Imposing Plus 2.9b</S>
  <S N='Name'>Quite Imposing Plus 2</S>
  <I N='Version'>1</I>
</ITEMS> </DICT>
```

```
<DICT N='Result'>    <ITEMS>
  <I N='CurrentPage'>0</I>
  <I N='DocPages'>100</I>
  <I N='FirstPage'>99</I>
  <I N='PagesProcessed'>100</I>
</ITEMS> </DICT>
```

```
<I N='Version'>1</I>
</ITEMS></DICT>
```

```
<DICT N='2'> <ITEMS>
  <A N='Category'>HistoryItem_V1</A>
  <A N='Command'>DefineBleed</A>
  <DICT N='Desc'>    <ITEMS>
    <S N='0'>Range: all pages</S>
    <S N='1'>Request: bleed all round 18.00 points</S>
    <S N='2'>Bleed area is outside visible: no</S>
  </ITEMS> </DICT>
```

```
<DICT N='Params'>    <ITEMS>
  <F N='BMgn'>18.0000</F>
  <B N='Interactive'>1</B>
  <F N='LMgn'>22.5000</F>
  <F N='Margin'>18.0000</F>
  <B N='NewDoc'>0</B>
  <B N='Outside'>0</B>
  <F N='RMgn'>22.5000</F>
  <A N='Request'>Fixed</A>
  <DICT N='Source'>    <ITEMS>
    <DICT N='Range'>    <ITEMS>
      <A N='EvenOdd'>Both</A>
      <A N='RangeType'>AllDoc</A>
    </ITEMS>    </DICT>

    <A N='SourceType'>CurrentAVDoc</A>
  </ITEMS>    </DICT>

  <F N='TMgn'>18.0000</F>
</ITEMS> </DICT>
```

```
<DICT N='Provider'>    <ITEMS>
```

```

<S N='Code'>QITE_QuiteImposingPlus2</S>
<S N='FullName'>Quite Imposing Plus 2.9b</S>
<S N='Name'>Quite Imposing Plus 2</S>
<I N='Version'>1</I>
</ITEMS> </DICT>

<DICT N='Result'> <ITEMS>
  <I N='CurrentPage'>2</I>
  <I N='DocPages'>4</I>
  <I N='FirstPage'>3</I>
  <I N='PagesProcessed'>4</I>
</ITEMS> </DICT>

<I N='Version'>1</I>
</ITEMS></DICT>

<DICT N='3'> <ITEMS>
  <A N='Category'>HistoryItem_V1</A>
  <A N='Command'>TrimAndShift</A>
  <DICT N='Desc'> <ITEMS>
    <S N='0'>Range: all odd numbered pages</S>
    <S N='1'>Trim: none</S>
    <S N='2'>Shift: move right by 1.44 points</S>
    <S N='3'>Normalise (advanced option): &apos;improved&apos;</S>
  </ITEMS> </DICT>

  <DICT N='Params'> <ITEMS>
    <I N='CreepEvery'>32</I>
    <DICT N='FixedSize'> <ITEMS>
      <S N='Created'>D:20090928101522</S>
      <F N='Height'>828.0000</F>
      <S N='Name'>Bleed</S>
      <A N='Type'>Blank</A>
      <F N='Width'>648.0000</F>
    </ITEMS> </DICT>

    <A N='FixedSizeOrientation'>Tall</A>
    <B N='Interactive'>1</B>
    <B N='NewDoc'>0</B>
    <A N='Normalise'>Full</A>
    <I N='PosX'>96</I>
    <I N='PosY'>548</I>
    <A N='Shift'>Fixed</A>
    <A N='ShiftDir'>Right</A>
    <F N='ShiftFrom'>1.4400</F>
    <F N='ShiftTo'>0.0000</F>
    <DICT N='Source'> <ITEMS>
      <DICT N='Range'> <ITEMS>

```

Odd
<I N='From'>57</I>
AllDoc
<I N='To'>111</I>
</ITEMS> </DICT>

CurrentAVDoc
</ITEMS> </DICT>

None
<F N='TrimBy'>116.6400</F>
Left
</ITEMS> </DICT>

<DICT N='Provider'> <ITEMS>
 <S N='Code'>QITE_QuiteImposingPlus2</S>
 <S N='FullName'>Quite Imposing Plus 2.9b</S>
 <S N='Name'>Quite Imposing Plus 2</S>
 <I N='Version'>1</I>
</ITEMS> </DICT>

<DICT N='Result'> <ITEMS>
 <I N='CurrentPage'>2</I>
 <I N='DocPages'>4</I>
 <I N='FirstPage'>2</I>
 <I N='PagesProcessed'>2</I>
</ITEMS> </DICT>

<I N='Version'>1</I>
</ITEMS></DICT>

<DICT N='4'> <ITEMS>
 HistoryItem_V1
 TrimAndShift
 <DICT N='Desc'> <ITEMS>
 <S N='0'>Range: all even numbered pages</S>
 <S N='1'>Trim: none</S>
 <S N='2'>Shift: move left by 1.44 points</S>
 <S N='3'>Normalise (advanced option): 'improved'</S>
</ITEMS> </DICT>

<DICT N='Params'> <ITEMS>
 <I N='CreepEvery'>32</I>
 <DICT N='FixedSize'> <ITEMS>
 <S N='Created'>D:20090928101522</S>
 <F N='Height'>828.0000</F>
 <S N='Name'>Bleed</S>
 Blank

```

    <F N='Width'>648.0000</F>
  </ITEMS>    </DICT>

  <A N='FixedSizeOrientation'>Tall</A>
  <B N='Interactive'>1</B>
  <B N='NewDoc'>0</B>
  <A N='Normalise'>Full</A>
  <I N='PosX'>96</I>
  <I N='PosY'>548</I>
  <A N='Shift'>Fixed</A>
  <A N='ShiftDir'>Left</A>
  <F N='ShiftFrom'>1.4400</F>
  <F N='ShiftTo'>0.0000</F>
  <DICT N='Source'>    <ITEMS>
    <DICT N='Range'>    <ITEMS>
      <A N='EvenOdd'>Even</A>
      <I N='From'>57</I>
      <A N='RangeType'>AllDoc</A>
      <I N='To'>111</I>
    </ITEMS>    </DICT>

    <A N='SourceType'>CurrentAVDoc</A>
  </ITEMS>    </DICT>

  <A N='Trim'>None</A>
  <F N='TrimBy'>116.6400</F>
  <A N='TrimEdge'>Left</A>
</ITEMS>  </DICT>

<DICT N='Provider'>    <ITEMS>
  <S N='Code'>QITE_QuiteImposingPlus2</S>
  <S N='FullName'>Quite Imposing Plus 2.9b</S>
  <S N='Name'>Quite Imposing Plus 2</S>
  <I N='Version'>1</I>
</ITEMS>  </DICT>

<DICT N='Result'>    <ITEMS>
  <I N='CurrentPage'>2</I>
  <I N='DocPages'>4</I>
  <I N='FirstPage'>3</I>
  <I N='PagesProcessed'>2</I>
</ITEMS>  </DICT>

<I N='Version'>1</I>
</ITEMS></DICT>

<DICT N='5'>  <ITEMS>
  <A N='Category'>HistoryItem_V1</A>

```

```

<A N='Command'>DefineBleed</A>
<DICT N='Desc'>    <ITEMS>
  <S N='0'>Range: all pages</S>
  <S N='1'>Request: bleed all round 18.00 points</S>
  <S N='2'>Bleed area is outside visible: no</S>
</ITEMS> </DICT>

<DICT N='Params'>    <ITEMS>
  <F N='BMgn'>18.0000</F>
  <B N='Interactive'>1</B>
  <F N='LMgn'>22.5000</F>
  <F N='Margin'>18.0000</F>
  <B N='NewDoc'>0</B>
  <B N='Outside'>0</B>
  <F N='RMgn'>22.5000</F>
  <A N='Request'>Fixed</A>
  <DICT N='Source'>    <ITEMS>
    <DICT N='Range'>    <ITEMS>
      <A N='EvenOdd'>Both</A>
      <A N='RangeType'>AllDoc</A>
    </ITEMS>    </DICT>

    <A N='SourceType'>CurrentAVDoc</A>
  </ITEMS>    </DICT>

  <F N='TMgn'>18.0000</F>
</ITEMS> </DICT>

<DICT N='Provider'>    <ITEMS>
  <S N='Code'>QITE_QuiteImposingPlus2</S>
  <S N='FullName'>Quite Imposing Plus 2.9b</S>
  <S N='Name'>Quite Imposing Plus 2</S>
  <I N='Version'>1</I>
</ITEMS> </DICT>

<DICT N='Result'>    <ITEMS>
  <I N='CurrentPage'>0</I>
  <I N='DocPages'>4</I>
  <I N='FirstPage'>3</I>
  <I N='PagesProcessed'>4</I>
</ITEMS> </DICT>

<I N='Version'>1</I>
</ITEMS></DICT>

<DICT N='6'> <ITEMS>
  <A N='Category'>HistoryItem_V1</A>
  <A N='Command'>DefineBleed</A>

```

```
<DICT N='Desc'>    <ITEMS>
  <S N='0'>Range: all pages</S>
  <S N='1'>Request: bleed all round 18.00 points</S>
  <S N='2'>Bleed area is outside visible: no</S>
</ITEMS> </DICT>
```

```
<DICT N='Params'>    <ITEMS>
  <F N='BMgn'>18.0000</F>
  <B N='Interactive'>1</B>
  <F N='LMgn'>22.5000</F>
  <F N='Margin'>18.0000</F>
  <B N='NewDoc'>0</B>
  <B N='Outside'>0</B>
  <F N='RMgn'>22.5000</F>
  <A N='Request'>Fixed</A>
  <DICT N='Source'>    <ITEMS>
    <DICT N='Range'>    <ITEMS>
      <A N='EvenOdd'>Both</A>
      <A N='RangeType'>AllDoc</A>
    </ITEMS>    </DICT>

    <A N='SourceType'>CurrentAVDoc</A>
  </ITEMS>    </DICT>
```

```
  <F N='TMgn'>18.0000</F>
</ITEMS> </DICT>
```

```
<DICT N='Provider'>    <ITEMS>
  <S N='Code'>QITE_QuiteImposingPlus2</S>
  <S N='FullName'>Quite Imposing Plus 2.9b</S>
  <S N='Name'>Quite Imposing Plus 2</S>
  <I N='Version'>1</I>
</ITEMS> </DICT>
```

```
<DICT N='Result'>    <ITEMS>
  <I N='CurrentPage'>0</I>
  <I N='DocPages'>4</I>
  <I N='FirstPage'>3</I>
  <I N='PagesProcessed'>4</I>
</ITEMS> </DICT>
```

```
<I N='Version'>1</I>
</ITEMS></DICT>
```

```
<DICT N='7'> <ITEMS>
  <A N='Category'>HistoryItem_V1</A>
  <A N='Command'>DefineBleed</A>
  <DICT N='Desc'>    <ITEMS>
```

<S N='0'>Range: all pages</S>
<S N='1'>Request: bleed all round 18.00 points</S>
<S N='2'>Bleed area is outside visible: no</S>
</ITEMS> </DICT>

<DICT N='Params'> <ITEMS>
 <F N='BMgn'>18.0000</F>
 <B N='Interactive'>1
 <F N='LMgn'>22.5000</F>
 <F N='Margin'>18.0000</F>
 <B N='NewDoc'>0
 <B N='Outside'>0
 <F N='RMgn'>22.5000</F>
 Fixed
 <DICT N='Source'> <ITEMS>
 <DICT N='Range'> <ITEMS>
 Both
 AllDoc
 </ITEMS> </DICT>

 CurrentAVDoc
 </ITEMS> </DICT>

 <F N='TMgn'>18.0000</F>
 </ITEMS> </DICT>

<DICT N='Provider'> <ITEMS>
 <S N='Code'>QITE_QuiteImposingPlus2</S>
 <S N='FullName'>Quite Imposing Plus 2.9b</S>
 <S N='Name'>Quite Imposing Plus 2</S>
 <I N='Version'>1</I>
 </ITEMS> </DICT>

<DICT N='Result'> <ITEMS>
 <I N='CurrentPage'>2</I>
 <I N='DocPages'>100</I>
 <I N='FirstPage'>99</I>
 <I N='PagesProcessed'>100</I>
 </ITEMS> </DICT>

<I N='Version'>1</I>
</ITEMS></DICT>

<DICT N='8'> <ITEMS>
 HistoryItem_V1
 DefineBleed
 <DICT N='Desc'> <ITEMS>
 <S N='0'>Range: all pages</S>

<S N='1'>Request: bleed all round 18.00 points</S>

<S N='2'>Bleed area is outside visible: no</S>

</ITEMS> </DICT>

<DICT N='Params'> <ITEMS>

<F N='BMgn'>18.0000</F>

<B N='Interactive'>1

<F N='LMgn'>22.5000</F>

<F N='Margin'>18.0000</F>

<B N='NewDoc'>0

<B N='Outside'>0

<F N='RMgn'>22.5000</F>

Fixed

<DICT N='Source'> <ITEMS>

<DICT N='Range'> <ITEMS>

Both

AllDoc

</ITEMS> </DICT>

CurrentAVDoc

</ITEMS> </DICT>

<F N='TMgn'>18.0000</F>

</ITEMS> </DICT>

<DICT N='Provider'> <ITEMS>

<S N='Code'>QITE_QuiteImposingPlus2</S>

<S N='FullName'>Quite Imposing Plus 2.9b</S>

<S N='Name'>Quite Imposing Plus 2</S>

<I N='Version'>1</I>

</ITEMS> </DICT>

<DICT N='Result'> <ITEMS>

<I N='CurrentPage'>2</I>

<I N='DocPages'>100</I>

<I N='FirstPage'>99</I>

<I N='PagesProcessed'>100</I>

</ITEMS> </DICT>

<I N='Version'>1</I>

</ITEMS></DICT>

<DICT N='9'> <ITEMS>

HistoryItem_V1

TrimAndShift

<DICT N='Desc'> <ITEMS>

<S N='0'>Range: all pages</S>

<S N='1'>Trim: fix size 8.500 x 11.000 inches / 215.9 x 279.4 mm</S>

```

<S N='2'>Shift: none</S>
<S N='3'>Normalise (advanced option): &apos;improved&apos;</S>
</ITEMS> </DICT>

<DICT N='Params'>    <ITEMS>
  <I N='CreepEvery'>32</I>
  <DICT N='FixedSize'>    <ITEMS>
    <S N='Created'>D:20160405124528</S>
    <F N='Height'>792.0000</F>
    <S N='Name'>US Letter</S>
    <A N='Type'>Blank</A>
    <F N='Width'>612.0000</F>
  </ITEMS>    </DICT>

  <A N='FixedSizeOrientation'>Tall</A>
  <B N='Interactive'>1</B>
  <B N='NewDoc'>0</B>
  <A N='Normalise'>Full</A>
  <I N='PosX'>96</I>
  <I N='PosY'>548</I>

  <A N='Shift'>None</A>
  <A N='ShiftDir'>Left</A>
  <F N='ShiftFrom'>1.4400</F>
  <F N='ShiftTo'>0.0000</F>
  <DICT N='Source'>    <ITEMS>
    <DICT N='Range'>    <ITEMS>
      <A N='EvenOdd'>Both</A>
      <I N='From'>57</I>
      <A N='RangeType'>AllDoc</A>
      <I N='To'>111</I>
    </ITEMS>    </DICT>

    <A N='SourceType'>CurrentAVDoc</A>
  </ITEMS>    </DICT>

  <A N='Trim'>Uniform</A>
  <F N='TrimBy'>116.6400</F>
  <A N='TrimEdge'>Left</A>
</ITEMS> </DICT>

<DICT N='Provider'>    <ITEMS>
  <S N='Code'>QITE_QuiteImposingPlus2</S>
  <S N='FullName'>Quite Imposing Plus 2.9b</S>
  <S N='Name'>Quite Imposing Plus 2</S>
  <I N='Version'>1</I>
</ITEMS> </DICT>

```

```
<DICT N='Result'>    <ITEMS>
  <I N='CurrentPage'>98</I>
  <I N='DocPages'>100</I>
  <I N='FirstPage'>99</I>
  <I N='PagesProcessed'>100</I>
</ITEMS>  </DICT>
```

```
<I N='Version'>1</I>
</ITEMS></DICT>
```

```
<A N='Category'>HistoryList_V1</A>
<S N='Requires'>q12base</S>
</ITEMS>
</QUITEXML>
```