

Appointment

From: Sura Abdul-Razzak [Sura.Abdul-Razzak@ieso.ca]
Sent: 2017-09-08 8:42:15 AM
To: Sura Abdul-Razzak [Sura.Abdul-Razzak@ieso.ca]; Caroline Jageman [Caroline.Jageman@ieso.ca]; Anita Joshi [Anita.Joshi@ieso.ca]; Geerthan Thiviyarajah [Geerthan.Thiviyara@ieso.ca]; Evelyn Lundhild [Evelyn.Lundhild@ieso.ca]; Alice Herrera [Alice.Herrera@ieso.ca]; Erinn Meloche [Erinn.Meloche@ieso.ca]; Phil Bosco [Phil.Bosco@ieso.ca]
Subject: Program review for THESL Smart RT program
Attachments: RTU Analysis - 2016-07-11 - Light Version.xlsx; IESO_Conservation_Program_&_Pilot_Business_Case_SmartRT_2016-07-14.xlsx; IESO-CDM-EE-Cost-Effectiveness-Tool-Update-2016-Jan-04.xlsm
Location: 1804 Meeting Room
Start: 2016-08-16 2:00:00 PM
End: 2016-08-16 3:00:00 PM
Show Time As: Busy

Recurrence: (none)

Attached are the documents for this business case submission. THESL proposes to use smart thermostats for rooftop units in the commercial sector.

Please have your review complete for this meeting and be ready to discuss them with the group. Happy to discuss any of your issues/questions directly with you before then.

Thank you,
Sura

[IESO_Conservation_Program_&_Pilot_Business_Case_SmartRT_2016-07-14.xlsx](#) [RTU Analysis - 2016-07-11 - Light Version.xlsx](#) [IESO-CDM-EE-Cost-Effectiveness-Tool-Update-2016-Jan-04.xlsm](#)