



Thursday, May 17, 2018 – Board Meeting

Shelley, Dietmar, Mike, Ken, Carlo, Bernard, Catriona, Carlton, Sean Granville, Chris Ginther, Barb Keenan, Jennifer Rowe, Joe Sheppard, Yezdi, Wendy, Peggy, Jim Reinsch, Gerry, George, John Herron, JP Gladu, Ani, Bill, Lisa, Nicolle, Evelyn, Michelle





the 1990s, the incidence of *S. flexneri* has increased in the United Kingdom [10]. In the United States, *S. flexneri* has been reported to be the most common serotype of *Shigella* isolated from children with shigellosis [11].

There is a paucity of data on the epidemiology of *S. flexneri* in the United Kingdom. In the 1980s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [12]. In the 1990s, *S. flexneri* was the most commonly isolated *Shigella* serotype from patients with shigellosis in the United Kingdom [13].

The aim of this study was to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.

The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.


The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.


The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.


The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.


The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.

The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom. The study was designed to determine the prevalence of *S. flexneri* in the United Kingdom.







- 
- FHP: doing very well, financing costs are coming in lower than our model even though interest rates have increased
 - Fairly concentrated roll – there was a 25% concentration risk by PH&N, and then where most of our income – our management fee is before the OEB for their approval – don't expect issue but no timeline yet on that

