

SURVEILLANCE WEEK 7 (February 10, 2008– February 16, 2008)

This issue of the Ontario Influenza Bulletin provides information on the surveillance period from February 10, 2008-February 16, 2008, (Week 7). The analysis for this issue occurred on Thursday February 21, 2008, therefore all data is current to that date unless otherwise specified.

Overall, influenza activity in Ontario during week 7, 2008 was higher than week 6, 2008. There were 34 sporadically occurring cases of influenza A and twelve sporadic cases of influenza B reported through iPHIS from health units. There were three new reports of institutional outbreaks of influenza. For week 7, the highest level of influenza activity was 'widespread' reported from Toronto, while 'localized' activity was reported from the remaining regions with the exception of North West and Central West, which both reported 'sporadic' activity.

In Canada for week 6, influenza activity levels remained similar to previous weeks. However more regions reported widespread (n=3 in BC & ON) and localized influenza activity (n=13 in BC, AB, SK, MB, ON, & NB) this week compared to last week. Thirteen regions reported no activity and 27 reported sporadic activity.[†]

Please refer to page 12 for Appendix C report submission dates.

For a definition of influenza-like illness (ILI) activity levels and links to websites providing current influenza information from other sources, please refer to the attached Appendix- I. If you would like to provide feedback on the Bulletin, please contact Christine D'Souza (christine.dsouza1@ontario.ca, 416-212-5323) or Anne-Luise Winter (anne-luise.winter@ontario.ca, 416-327-7301).

Table 1: Summary of confirmed influenza cases and institutional influenza outbreaks by health region (Week 7, 2008).

Confirmed influenza cases*	HEALTH REGION							TOTAL
	North West	North East	Eastern	Central East	Toronto	South West	Central West	
Influenza A	1	2	2	7	13	1	8	34
Influenza B	0	0	3	4	3	0	2	12
Influenza A & B	0	0	0	0	0	0	0	0
Total new cases	1	2	5	11	16	1	10	46
Institutional influenza outbreaks‡	0	0	0	0	1	2	0	3

SOURCE: MOHLTC [iPHIS, Health Unit Reports to PHD]

* Includes reports of sporadically occurring influenza through iPHIS, as well as cases in institutional outbreaks, with dates of onset in the surveillance period.

† These data have been obtained from the FluWatch report of the Public Health Agency of Canada for Week 6, 2008.

‡ Confirmed outbreaks in institutions with onset date of symptoms during the surveillance period.

Table 2: Confirmed cases of influenza by health unit & health region, with an episode date[†] during Week 7, 2008

Region	Health Unit	Confirmed Influenza		
		Influenza A	Influenza B	TOTAL
North West	Northwestern	1	0	1
	Thunder Bay District	0	0	0
	TOTAL NORTH WEST	1	0	1
North East	Algoma	1	0	1
	North Bay Parry Sound District	0	0	0
	Porcupine	0	0	0
	Sudbury & District	1	0	1
	Timiskaming	0	0	0
	TOTAL NORTH EAST	2	0	2
Eastern	City of Ottawa	2	3	5
	Eastern Ontario	0	0	0
	Hastings & Prince Edward Counties	0	0	0
	Kingston, Frontenac, Lennox & Addington	0	0	0
	Leeds, Grenville And Lanark District	0	0	0
	Renfrew County And District	0	0	0
	TOTAL EASTERN	2	3	5
Central East	Durham Region	0	0	0
	Haliburton, Kawartha, Pine Ridge	0	1	1
	Peel Region	3	1	4
	Peterborough County-City	0	0	0
	Simcoe Muskoka District	4	1	5
	York Region	0	1	1
	TOTAL CENTRAL EAST	7	4	11
Toronto	Toronto	13	3	16
	TOTAL TORONTO	13	3	16
South West	Chatham-Kent	0	0	0
	Elgin-St. Thomas	0	0	0
	Grey Bruce	0	0	0
	Huron County	0	0	0
	Lambton County	0	0	0
	Middlesex-London	1	0	1
	Oxford County	0	0	0
	Perth District	0	0	0
	Windsor-Essex County	0	0	0
	TOTAL SOUTHWEST	1	0	1
Central West	Brant County	0	0	0
	City Of Hamilton	5	0	5
	Haldimand-Norfolk	0	0	0
	Halton Region	2	0	2
	Niagara Region	0	0	0
	Waterloo Region	1	1	2
	Wellington-Dufferin-Guelph	0	1	1
	TOTAL CENTRAL WEST	8	2	10
	TOTAL ONTARIO	34	12	46

SOURCE: MOHLTC [iPHIS, Health Unit Reports have been extracted using CRN at PHD]

[†] Episode Date for a case corresponds to the earliest date on record for the case according to the iPHIS hierarchy (Symptom Date > Clinical Diagnosis Date > Specimen Collection Date > Lab Test Date > Reported Date)

Table 3: Cumulative* confirmed cases of influenza by health unit & health region with an episode date[†] between September 1, 2007 – February 16, 2008

Region	Health Unit	Confirmed Influenza		
		Influenza A	Influenza B	TOTAL
North West	Northwestern	3	0	3
	Thunder Bay District	2	0	2
	TOTAL NORTH WEST	5	0	5
North East	Algoma	10	0	10
	North Bay Parry Sound District	15	2	17
	Porcupine	0	0	0
	Sudbury & District	4	7	11
	Timiskaming	1	1	2
	TOTAL NORTH EAST	30	10	40
Eastern	City Of Ottawa	11	7	18
	Eastern Ontario	2	5	7
	Hastings & Prince Edward Counties	2	1	3
	Kingston, Frontenac, Lennox & Addington	11	0	11
	Leeds, Grenville And Lanark District	0	0	0
	Renfrew County And District	0	0	0
	TOTAL EASTERN	26	13	39
Central East	Durham Region	17	0	17
	Haliburton, Kawartha, Pine Ridge	26	8	34
	Peel Region	174	20	194
	Peterborough County-City	10	1	11
	Simcoe Muskoka District	36	6	42 [‡]
	York Region	63	3	66
	TOTAL CENTRAL EAST	326	38	364
Toronto	Toronto	406	35	441
	TOTAL TORONTO	406	35	441
South West	Chatham-Kent	3	0	3
	Elgin-St. Thomas	0	0	0
	Grey Bruce	17	1	18
	Huron County	4	1	5
	Lambton County	4	0	4
	Middlesex-London	15	4	19
	Oxford County	3	0	3
	Perth District	3	0	3
	Windsor-Essex County	3	0	3
	TOTAL SOUTHWEST	52	6	58
Central West	Brant County	4	0	4
	City Of Hamilton	65	1	66
	Haldimand-Norfolk	3	1	4
	Halton Region	51	3	54
	Niagara Region	16	2	18
	Waterloo Region	50	2	52
	Wellington-Dufferin-Guelph	29	1	30
	TOTAL CENTRAL WEST	218	10	228
	TOTAL ONTARIO	1,063	112	1,175

SOURCE: MOHLTC [iPHIS, Health Unit Reports have been extracted using CRN at PHD]

* Cumulative case counts include late reports and records that are otherwise reconciled. Therefore, cumulative counts may not equal new cases plus previous cumulative value.

[†] Episode Date for a case corresponds to the earliest date on record for the case according to the iPHIS hierarchy (Symptom Date > Clinical Diagnosis Date > Specimen Collection Date > Lab Test Date > Reported Date)

[‡]Note that one of the cases of influenza reported from Simcoe Muskoka District represents a case co-infected with Influenza A & B

Influenza Subtype(s):

During week 7, 4512 isolates were received by the Public Health Agency of Canada, with 390 testing positive for influenza A and 202 for influenza B. The majority of influenza A isolates (178) were from Quebec (45.6%), while 70 (18.0%) were from Alberta, 51 were from Ontario (13.1%) and 42 were from British Columbia (10.8%). The majority of influenza B isolates (103) were reported from Alberta (51.0%), 34 were reported from British Columbia (16.8%) while 20 (9.9%) were reported from Quebec, with 19 (9.4%) reported from Ontario.*

Antigenic Characterization:

The National Microbiology Laboratory (NML) has characterized 370 influenza viruses for the 2007-2008 influenza season: 223 A(H1N1), 37 A(H3N2) and 110 B viruses. All influenza A(H1N1) viruses were antigenically similar to A/Solomon Islands/3/2006. Of the 37 influenza A(H3N2) viruses characterized, 5 were antigenically similar to A/Wisconsin/67/2005 and 32 were antigenically similar to A/Brisbane/10/2007. One of the 5 A/Wisconsin-like viruses had reduced titer to A/Wisconsin/67/2005 reference antiserum. Of the 110 influenza B isolates characterized, 3 were antigenically similar to B/Malaysia/2506/2004 and 107 were antigenically similar to B/Florida/4/2006 (belonging to the B/Yamagata lineage).**

Antiviral Resistance:


Since the start of the season, the NML has tested 281 influenza A isolates (228 H1N1 and 53 H3N2) for amantadine resistance and found that 51 (96.2%) of the 53 H3N2 isolates were resistant to amantadine and 4 (1.8%) of 228 H1N1 isolates were resistant (see recommendation from the 2006-2007 influenza season below). The NML has also tested 299 influenza isolates (192 A/H1N1, 30 A/H3N2 & 77 B) for oseltamivir (Tamiflu) resistance and found that 16 (8.3%) of the 192 H1N1 isolates tested were resistant to oseltamivir. The resistant isolates were from NL (2), ON (11), MB (1) and BC (2). Nine resistant isolates were collected in December 2007 and 7 were collected in January 2008. These oseltamivir resistant strains remain sensitive to the antiviral amantadine. While antivirals can be used to lessen the length and severity of influenza, vaccination remains the most effective method of preventing illness. This year's influenza vaccine protects against influenza A(H1N1) and therefore vaccination remains an effective measure in preventing illness.**

Note: The WHO recommends that the trivalent vaccine for the 2007-2008 season in the northern hemisphere (which includes Canada) contain an A/Solomon Islands (H1N1)-like virus; an A/Wisconsin (H3N2)-like virus; and a B/Malaysia-like virus.

* These data have been obtained from the Respiratory Virus Detection tables of Public Health Agency of Canada and do not include data from late reports to PHAC: Week 7, 2008

** These data have been obtained from the FluWatch report of the Public Health Agency of Canada for Week 6, 2008.

Figure 1: Total number of influenza tests performed and percent of positive tests in Ontario reported to the Centre for Immunization and Respiratory Infectious Diseases (CIRID), by report week*.



Source: Public Health Agency of Canada

* Total numbers reported include late reports; therefore totals may not be equal to the sum of the weekly numbers.

Note: Cumulative numbers for season to date are available through FluWatch: <http://www.phac-aspc.gc.ca/fluwatch/>

Table 4a: Institutional respiratory infection outbreaks in Ontario: New Outbreaks* in Week 7 and Total Outbreaks for the Season**

Institutional Respiratory Infection Outbreaks		
New Outbreaks*	N	% (of outbreaks)
Influenza A	2	33.3
Influenza B	1	16.7
Influenza A and B	0	0.0
Parainfluenza (All types)	0	0.0
RSV	0	0.0
Other organisms	0	0.0
No organism identified	3	50.0
TOTAL	6	100
Total Respiratory Infection Outbreaks of the Season to date**	N	% (of outbreaks)
Influenza A	17	5.7
Influenza B	9	3.0
Influenza A and B	0	0.0
Parainfluenza (All types)	26	8.8
RSV	19	6.4
Combined Outbreaks [†]	0	0.0
Other organisms	21	7.1
No organism identified	204	68.9
TOTAL	296	100
Types of Institutions (All Outbreaks) **	N	% (of outbreaks)
Long-Term Care Homes	174	58.8
Hospitals	8	2.7
Retirement Homes	28	9.5
Other	5	1.7
Unknown	81	27.4
TOTAL	296	100

SOURCE: MOHLTC [iPHIS, Health Unit Reports have been extracted using CRN at PHD]

* New outbreaks are those in which the date of onset of illness in the first case occurred and recorded through iPHIS in the current surveillance period; i.e. February 10, 2008 – February 16, 2008

** Season to date includes all outbreaks in which the date of onset of illness in the first case occurred from September 1, 2007 – February 16, 2008

[†] Combined outbreaks include outbreaks in which more than one non-influenza organism has been identified (e.g. RSV, parainfluenza, rhinovirus, etc.)

Table 4b: Outbreak Related Complications in institutional respiratory infection outbreaks in Ontario during the Surveillance Season*

Outbreak Related Complications (All Outbreaks)	N	% (of total cases)
Total Cases		
Residents	3494	73.0
Patients	230	4.8
Staff	1062	22.2
Total Cases	4786	100
Deaths		% (of cases per role)
Residents	65	1.9
Patients	2	0.9
Staff	0	0.0
Pneumonia (Chest x-ray confirmed)		% (of cases per role)
Residents	103	3.0
Patients	3	1.3
Staff	1	0.1
Hospitalizations		% (of cases per role)
Residents	118	3.4
Staff	0	0.0
Outbreak Related Complications (Influenza Outbreaks)	N	% (of total cases)
Total Cases		
Residents	226	74.1
Patients	14	4.6
Staff	65	21.3
Total Cases	305	100
Deaths		% (of cases per role)
Residents	7	3.1
Patients	0	0.0
Staff	0	0.0
Pneumonia (Chest x-ray confirmed)		% (of cases per role)
Residents	10	4.4
Patients	1	7.1
Staff	0	0.0
Hospitalizations		% (of cases per role)
Residents	11	4.9
Staff	0	0.0

SOURCE: MOHLTC [iPHIS, Health Unit Reports have been extracted using CRN at PHD]

* Season to date includes all outbreaks in which the date of onset of illness in the first case occurred from September 1, 2007 – February 16, 2008

Figure 2: Institutional respiratory infection outbreaks in Ontario by onset of illness in the first case: Total Outbreaks from September 1, 2007 – February 16, 2008 by causative organism






Figure 3: Influenza Activity* levels in Ontario by health unit for Week 7, 2008



SOURCE: MOHLTC [Provincial Influenza Activity Report (Appendix C) Database]

* Influenza activity levels are assigned by local public health units and reported to the MOHLTC by the Tuesday following the end of the surveillance week at 4 pm. Activity levels are assigned based on laboratory confirmations, ILI reports from various sources, and laboratory confirmed institutional outbreaks. Please refer to detailed definitions for the 2007-2008 season included in the Appendix-1]

Figure 4: Average influenza-like illness (ILI) consultation rate (per 1,000 patient visits) reported by sentinel physicians* in Ontario in 2007- 2008 season, by report week, Compared to Ontario average[†] (1999/2000 to 2004/05 seasons).



Source: Public Health Agency of Canada

* Sentinel physician information is reported to Public Health Agency of Canada.

[†]No data available for mean rate in previous years for weeks 21 to 39 (1999-2000 through 2004-2005 seasons). During weeks 20-39, 2002-2003/2004-2005 seasons, ILI is reported once every two weeks, on even weeks only.

Table 6: Average Influenza-like illness consultation rate (per 1,000 patient visits) by age group and postal code as reported by Sentinel Physicians* in Ontario, for Week 7.

Postal Code	0 – 4	5 – 19	20 – 64	65 +	Unknown
K0C1A0	0	0	0	0	0
K1L8H2	0	0	0	1	0
K2P1V3	0	0	0	0	0
K1J9M2	0	1	1	0	0
K0H2N0	0	0	0	0	0
K7H2W6	0	0	0	0	0
L1A3W4	0	0	0	0	0
K0M1A0	0	0	0	0	0
L1S2H6	0	0	0	0	0
L1B1H8	0	0	0	0	0
L4L4Y7	0	0	0	0	0
L4J7Y3	0	0	0	0	0
L4G7Y3	0	0	0	0	0
M4E1V8	0	0	0	0	0
M8Y1W3	0	0	0	0	0
M2N6H7	0	0	0	0	0
M2K1E1	0	0	0	0	0
M9W6N5	0	0	1	0	0
M8V2Z5	0	0	0	0	0
M8V2Z5	0	0	0	0	0
L4Y2N8	0	0	0	0	0
L6W2A4	2	0	1	0	0
L6V4H6	0	0	0	1	0
L9W1G2	0	0	1	0	0
L6L2X4	0	0	0	0	0
L7R1M6	0	0	0	0	0
L9H1V1	0	0	0	0	0
L0R1H0	0	0	0	0	0
L8W3J6	0	0	0	0	0
L2E7H1	0	0	0	0	0
N1R2L7	0	2	0	0	0
N2G1P2	0	0	0	0	0
N2M3B5	0	0	2	0	0
N5H1K9	0	0	0	0	0
N0P2C0	0	0	0	0	0
N0R1G0	0	0	0	0	0
N0M1T0	0	0	0	0	0
N0L1Z0	1	0	2	1	0
N6A5R9	0	0	0	0	0
N6C2R5	0	0	0	0	0
N0M1L0	0	0	0	0	0
N0C1E0	0	0	0	0	0
L3V5W5	1	0	2	0	0
P0H2H0	0	0	0	0	0
P0H2H0	0	0	0	0	0
P0A1C0	0	0	0	0	0
P0M2L0	0	0	0	0	0
P0S1K0	0	0	0	0	0
P0M1Z0	0	0	0	0	0
P0W1E0	0	0	0	0	0
P8N2Z6	0	0	0	0	0
ILI Sum	4	3	10	3	0
ILI Consultation Rate (per 1,000 patient visits)	41.67	30.30	13.93	10.87	0.00

Source: Public Health Agency of Canada

* Sentinel physician information is reported to the Public Health Agency of Canada

Note: The small numbers of sentinel physicians reporting at the local level make the ILI rates unstable. Please interpret these data correspondingly.

FURTHER INFORMATION

1. Ontario Ministry of Health and Long-Term Care
Previous issues of the *Ontario Influenza Bulletin* can be accessed at:
http://www.health.gov.on.ca/english/providers/program/pubhealth/flu/flu_07/flubul_mn.html
2. Health Agency of Canada
Issues of FluWatch can be accessed at:
www.phac-aspc.gc.ca/fluwatch/
3. United States Centers for Disease Control and Prevention
<http://www.cdc.gov/flu/weekly/fluactivity.htm>
4. European Influenza Surveillance Scheme
http://www.eiss.org/cgi-files/bulletin_v2.cgi

INFORMATION ABOUT AVIAN INFLUENZA

For latest information on the status of avian influenza worldwide please use the following link:

Public Health Agency of Canada

<http://www.phac-aspc.gc.ca/h5n1/index.html>

APPENDIX - I

Definitions for influenza activity levels:

No Data: No activity report corresponding to the surveillance week was received at the Ministry of Health and Long-Term Care Call Centre by the Tuesday (at 4 p.m.) following the end of the surveillance period.

No Activity: **No laboratory confirmed* influenza and NO outbreaks detected** within the health unit/ influenza surveillance area, within the prior week, although sporadically occurring ILI may or may not be present.†

Sporadic: Sporadically (infrequently) occurring **ILI and at least one lab-confirmed influenza* case with NO outbreaks** detected within the health unit area.†

Localized: sporadically occurring **ILI and lab-confirmed influenza* together with outbreaks of ILI** in schools and work sites, or laboratory-confirmed influenza in residential institutions occurring in < 50% of the health unit . Outbreaks affect a single and/or adjacent geographic area within the health unit jurisdiction, e.g. outbreaks in a nursing home and a school in close proximity to each other.†

Widespread: sporadically occurring **ILI and lab-confirmed influenza* together with outbreaks of ILI** in schools and work sites, or laboratory-confirmed influenza in residential institutions occurring in > 50% of the health unit. Outbreaks affect multiple and non-adjacent geographic areas within the health unit jurisdiction, such as two or more regions of the health unit, two or more municipalities, two or more electoral wards, etc.†

* Confirmation of influenza within the surveillance region at any time within the prior week

† Sub-regions within the province or territory as defined by the provincial/territorial epidemiologist

Influenza-Like Illness (ILI) Definitions:

A) ILI in the general population:

Acute onset of respiratory illness with fever and cough and with one or more of the following - sore throat, arthralgia, myalgia, or prostration which could be due to influenza virus. In children under 5, gastrointestinal symptoms may also be present. In patients under 5 or 65 and older, fever may not be prominent.

B) ILI/Influenza outbreaks:

Schools and work sites: greater than 10% absenteeism on any day, most likely due to ILI.

Residential institutions: two or more cases of ILI within a seven-day period, **including at least one laboratory confirmed case.**

Influenza Surveillance Weeks 2008 and date of submission of Appendix C

WEEKS	START	END	Appendix C Submission to MOHLTC
WK8	17-Feb-08	23-Feb-08	26-Feb-08
WK9	24-Feb-08	1-Mar-08	4-Mar-08
WK10	2-Mar-08	8-Mar-08	11-Mar-08
WK11	9-Mar-08	15-Mar-08	18-Mar-08
WK12	16-Mar-08	22-Mar-08	25-Mar-08
WK13	23-Mar-08	29-Mar-08	1-Apr-08
WK14	30-Mar-08	5-Apr-08	8-Apr-08
WK15	6-Apr-08	12-Apr-08	15-Apr-08
WK16	13-Apr-08	19-Apr-08	22-Apr-08
WK17	20-Apr-08	26-Apr-08	29-Apr-08
WK18	27-Apr-08	3-May-08	6-May-08
WK19	4-May-08	10-May-08	13-May-08
WK20	11-May-08	17-May-08	20-May-08
WK21	18-May-08	24-May-08	27-May-08
WK22	25-May-08	31-May-08	3-Jun-08
WK23	1-Jun-08	7-Jun-08	10-Jun-08
WK24	8-Jun-08	14-Jun-08	17-Jun-08
WK25	15-Jun-08	21-Jun-08	24-Jun-08
WK26	22-Jun-08	28-Jun-08	1-Jul-08
WK27	29-Jun-08	5-Jul-08	8-Jul-08
WK28	6-Jul-08	12-Jul-08	15-Jul-08
WK29	13-Jul-08	19-Jul-08	22-Jul-08
WK30	20-Jul-08	26-Jul-08	29-Jul-08
WK31	27-Jul-08	2-Aug-08	5-Aug-08
WK32	3-Aug-08	9-Aug-08	12-Aug-08
WK33	10-Aug-08	16-Aug-08	19-Aug-08
WK34	17-Aug-08	23-Aug-08	26-Aug-08
WK35	24-Aug-08	30-Aug-08	2-Sep-08